


## Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



1.967  
A2078  
cop. 2

VOL. 21 INDEX

1971

U. S. DEPT. OF AGRICULTURE  
NATIONAL AGRICULTURAL LIBRARY  
RECEIVED

JUN 29 1972

PROCUREMENT SECTION  
CURRENT SERIAL RECORDS

*Cooperative*  
**ECONOMIC INSECT  
REPORT**

Issued by

PLANT PROTECTION AND QUARANTINE PROGRAMS  
ANIMAL AND PLANT HEALTH SERVICE  
UNITED STATES DEPARTMENT OF AGRICULTURE

# ANIMAL AND PLANT HEALTH SERVICE

## PLANT PROTECTION AND QUARANTINE PROGRAMS

### ECONOMIC INSECT SURVEY AND DETECTION STAFF

The Cooperative Economic Insect Report is issued weekly as a service to American Agriculture. Its contents are compiled from information supplied by cooperating State, Federal, and industrial entomologists and other agricultural workers. In releasing this material the Service serves as a clearing house and does not assume responsibility for accuracy of the material.

To facilitate mailroom handling, all reports, inquiries, and other matters pertaining to this release, including the mailing list, should be sent to:

The Editors, CEIR  
Economic Insect Survey and Detection  
Plant Protection and Quarantine Programs, APHS, USDA  
Federal Center Building  
Hyattsville, Maryland 20782

# COOPERATIVE ECONOMIC INSECT REPORT

Volume 21

Index

1971

## SPECIAL REPORTS

- Beet leafhopper survey in Texas 291
- Boll weevil: Hibernation survey - fall 1970 61, improved traps for capturing 367, new trap for capturing 773, spring survival - 1971 350
- Cereal leaf beetle: Distribution map 115, quarantine map 780
- Changes in scientific names 29, 106
- Cooperative survey entomologists 333, 577
- Corn earworm distribution and abundance in the United States 71
- European corn borer: Estimates of damage to grain corn in U.S. - 1970 557, distribution map 54, status 1970 47
- Grasshopper adult survey, fall 1970 (map) 18
- Hawaii insect report 19, 27, 34, 46, 59, 70, 85, 100, 112, 129, 165, 193, 214, 237, 266, 299, 314, 328, 350, 365, 383, 403, 421, 439, 460, 481, 499, 517, 536, 555, 572, 594, 608, 625, 636, 665, 675, 687, 700, 714, 725, 734, 744, 756, 782
- Imported fire ant: Bibliography 639, quarantine map 34
- Insect detection in the U.S. - 1970 6
- Insects not known to occur in the U.S.: Lappet moth 463, a scarab 385
- Light trap collections 5, 19, 26, 33, 60, 70, 85, 99, 128, 164, 192, 213, 237, 266, 298, 315, 329, 351, 366, 384, 404, 422, 440, 461, 482, 501, 518, 537, 556, 573, 595, 609, 626, 637, 666, 676, 689, 701, 715, 726, 735, 745, 758, 783
- Losses: European corn borer on grain corn - 1970 557, insects and related arthropods - 1970 759
- Maps (distribution): Alfalfa looper 316, alfalfa weevil 168, bagworm 268, brown recluse spider 248, cereal leaf beetle 115, European corn borer 54, European earwig 86, European pine sawfly 278, face fly 240, Mexican bean beetle 690, northern corn rootworm 150, oldhouse borer 746, oriental fruit moth 218, pea leaf weevil 352, pepper maggot 784, plum curculio 702, purplebacked cabbageworm 638, spruce aphid 716, sugarcane beetle 462, sweetclover weevil 502, tobacco flea beetle 596, tuber flea beetle 610, vetch bruchid 736, wheat stem sawfly 386
- Maps (quarantine): Cereal leaf beetle 780, gypsy moth 172, imported fire ant 34, Japanese beetle 242, pink bollworm 414, whitefringed beetles 618, witchweed 326
- Pink bollworm: Quarantine map 414, situation in the Trans-Pecos area of Texas 724
- State survey coordinators 330, 574
- Summary of insect conditions in the U.S. - 1970. Introduction 113. Beans and peas 198-200. Beneficial insects 252-256. Citrus 224-226. Cole crops 200-203. Contributors 288. Corn, sorghum, sugarcane 142-153. Cotton 179-182. Cucurbits 203-204. Deciduous fruits and nuts 215-224. Federal and State plant protection programs 113-122. Forage legumes 166-176. Forest and shade trees 271-287. General vegetables 204-206. Hawaii 101-105. Households and structures 249-251. Man and animals 239-249. Miscellaneous field crops 184. Ornamentals 267-271. Other tropical and subtropical fruits 226. Peanuts 178-179. Potatoes, tomatoes, peppers 194-198. Small fruit 226-228. Small grains 153-155. Soybeans 176-178. Special insects of regional significance 130-142. Stored products 251-252. Sugar beets 183-184. Tobacco 182. Turf, pastures, rangeland 156-158.
- Survey methods: Improved traps for capturing boll weevils 367, new trap for capturing boll weevils 773, selected references for first half of 1970, part XXXIII 35-40; last half of 1969, part XXXIV 87-94

Scientific names should be used to locate all page references, except for those insects or groups of insects where scientific names were not reported. In such instances, page references will be found under common names. A combination of common and scientific names of an insect or pest may not appear on the page referred to, but one or the other will be present. Underlined page numbers represent references to "Summary of Insect Conditions in the United States - 1970." Light trap collections for a particular species are listed at the end of pagination for that species under this heading.

- Abagrotis alternata* (a noctuid moth)  
311
- Acalitus essigi* (redberry mite)  
227
- Acalymma vittatum* (striped cucumber beetle)  
203, 431, 451, 473, 528
- Acanthomyops interjectus* (larger yellow ant)  
111
- Acanthoscelides aureolus* (a seed beetle)  
8
- Aceratagallia sanguinolenta* (clover leafhopper)  
184, 233, 261
- Aceria vaccinii* (blueberry bud mite)  
227, 345
- Acerophagus texanus* (an encyrtid wasp)  
8, 104
- Achaea janata* (croton caterpillar)  
314
- Achatina fulica* (giant African snail)  
27, 105, 116, 129, 299, 348, 383, 439, 517, 536, 608, 624, 675, 734, 755, 756
- Acheta assimilis* (a field cricket)  
508
- Acinia picturata* (sourbush seed fly)  
299
- Acleris gloverana* (western blackheaded budworm)  
271
- Acrobasis betulella* (birch tubemaker)  
8, 284
- Acrobasis caryae* (pecan nut casebearer)  
215, 222, 295, 344, 360, 377, 396, 415, 433, 453, 475, 492, 513, 530, 589, 621
- Acrobasis juglandis* (pecan leaf casebearer)  
90, 223
- Acrobasis vaccinii* (cranberry fruitworm)  
226, 434
- Acrolepia assectella* (leek moth)  
112, 365, 460, 782
- Acronicta americana* (American dagger moth)  
684
- Acrosternum hilare* (green stink bug)  
178
- Aculops lycopersici* (tomato russet mite)  
198
- Aculops magnolivora* (an eriophyid mite)  
25
- Aculus comatus* (an eriophyid mite)  
474, 481
- Acyrthosiphon festucae*  
340, 349
- Acyrthosiphon pisum* (pea aphid)  
3, 17, 23, 32, 43, 57, 67, 81, 97, 109, 162, 166, 171-173, 188, 198, 200, 210, 233, 236, 255, 256, 261, 294, 309, 319, 322, 341, 357, 374, 393, 411, 418, 429, 431, 447, 470, 489, 509, 525, 545, 565, 586, 617, 631, 658, 671, 681, 730, 740, 751
- Acyrthosiphon solani* (foxglove aphid)  
197, 491
- Adalia bipunctata* (twospotted lady beetle)  
255, 381
- Adelges abietis* (eastern spruce gall aphid)  
280, 345, 551, 623, 662
- Adelges cooleyi* (Cooley spruce gall aphid)  
263, 270, 280, 311, 531, 662
- Adelges piceae* (balsam woolly aphid)  
126, 211, 273, 280
- Adelges tsugae* (an adelgid)  
8, 163, 190
- Adelphocoris* spp.  
174
- Adelphocoris lineolatus* (alfalfa plant bug)  
174, 448, 470, 489, 617
- Adelphocoris rapidus* (rapid plant bug)  
174
- Adelphocoris superbus* (superb plant bug)  
174
- Adoretus sinicus* (Chinese rose beetle)  
101, 237, 383, 744, 756, 779
- Aedes* spp. (mosquitoes)  
27, 85, 165, 243, 244, 297, 299, 312, 347, 398, 417, 477, 495, 532, 536, 552, 569, 594, 662, 675, 732, 734, 756, 782
- Aedes abserratus*  
244, 456, 548, 552
- Aedes canadensis*  
111, 264, 312, 399, 552
- Aedes cinereus*  
243, 244, 347, 380, 477, 496, 515, 552, 569, 674
- Aedes communis*  
244
- Aedes dorsalis*  
243, 264, 398, 417, 455
- Aedes excrucians*  
347, 380, 515, 591, 663, 674, 732
- Aedes fitchii*  
347, 380, 515, 591, 663, 674, 732
- Aedes flavescens*  
380
- Aedes grossbecki*  
264, 312
- Aedes increpitus*  
264
- Aedes nigromaculis*  
362, 417, 552
- Aedes riparius*  
780, 781
- Aedes sollicitans* (saltmarsh mosquito)  
244, 417, 533
- Aedes sticticus* (floodwater mosquito)  
244, 398, 515, 674
- Aedes stimulans*  
243, 244, 264, 347, 380, 398, 496, 515, 569, 591, 663, 674, 732
- Aedes taeniorhynchus*  
569
- Aedes triseriatus*  
398, 569, 623, 674, 698
- Aedes trivittatus*  
243, 244, 515, 674
- Aedes vexans*  
243, 244, 347, 362, 380, 398, 417, 455, 456, 477, 495, 515, 532-533, 552, 569, 591, 623, 634, 663, 674, 685, 698, 711, 732
- Aedes vexans nocturnus* (vexans mosquito)  
27, 85, 104, 165, 299, 365, 536, 594, 675, 734, 756, 782
- Aeoloplides turnbulli* (a grasshopper)  
438, 663, 712
- Aeolus livens* (a wireworm)  
8
- Agallia constricta* (a leafhopper)  
322, 342, 374
- Agalliopsis novella* (a leafhopper)  
374
- Agasicles* sp. (a leaf beetle)  
255
- Agathis* spp. (braconids)  
105, 439
- Agathis stigmatera*  
145
- Ageneotettix deorum* (a grasshopper)  
5, 117, 118, 479, 516, 663, 674, 699, 712
- Agkistrocerus megerlei* (a tabanid fly)  
732, 733
- Aglossa pingvinalis* (a pyralid moth)  
8
- Agonoderus lecontei* (seedcorn beetle)  
372, 409, 427
- Agrilus anxius* (bronze birch borer)  
283, 398, 436, 493, 731, 742
- Agrilus ruficollis* (rednecked cane borer)  
453
- Agrilus cingulatus* (sweetpotato hornworm)\*  
59, 731, 752, 757
- Agromyza* spp. (leafminer flies)  
176, 393, 448, 617, 658, 695
- Agromyza parvicornis* (corn blotch leafminer)  
391
- Agrotis gladiaria* (claybacked cutworm)  
146
- Agrotis ipsilon* (black cutworm)  
142, 146-147, 200, 292, 344, 355, 372, 390, 394, 408, 427, 445, 487, 490, 511, 526, 670. Light traps: 5, 19, 26, 33, 60, 70, 85, 128, 164, 192, 213, 237, 266, 298, 315, 329, 351, 366, 384, 404, 422, 440, 461, 482, 501, 518, 537, 556, 573, 595, 609, 626, 637, 666, 676, 689, 701, 715, 726, 735, 745, 758, 783
- Agrotis orthogonia* (pale western cutworm)  
81, 130, 147, 153, 260, 293, 308, 319, 320, 340, 356, 372, 391, 427, 446, 750
- Agrotis venerabilis*  
175
- Alabama argillacea* (cotton leafworm)  
708, 757
- Alcaasorrhynchus grandis* (a stink bug)  
256
- Alconeura quadrimaculata* (a leafhopper)  
25
- Alder flea beetle  
(*Altica ambiens*)
- Aleurocanthus woglumi* (citrus blackfly)  
84, 114, 192, 313, 363, 457, 516, 686, 724, 733, 755
- Aleurocybotus occiduus* (a whitefly)  
670
- Aleurothrix floccosus* (woolly whitefly)  
45, 122, 128, 265, 326, 572, 686, 743
- Aleurodes spiraeoides* (a whitefly)  
8, 270, 633
- Alfalfa caterpillar  
(*Colias eurytheme*)
- Alfalfa leafcutter bee  
(*Megachile rotundata*)
- Alfalfa looper  
(*Autographa californica*)
- Alfalfa plant bug  
(*Adelphocoris lineolatus*)
- Alfalfa seed chalcid  
(*Bruchophagus roddi*)
- Alfalfa snout beetle  
(*Brachyrhinus ligustici*)
- Alfalfa weevil  
(*Hypera postica*)
- Alkali bee  
(*Nomia melanderi*)
- Alloecranum biannulipes* (a reduviid bug)  
34
- Allograpta obliqua* (a syrphid fly)  
105
- Almond moth  
(*Cadra cautella*)
- Alsophila pomataria* (fall cankerworm)  
263, 283, 296, 325, 346, 379, 417, 711
- Altica* sp.  
227
- Altica ambiens* (alder flea beetle)  
684
- Altica carinata* (elm flea beetle)  
346
- Altica chalybea* (grape flea beetle)  
227, 324
- Amathes c-nigrum* (spotted cutworm)  
528
- Amblycerus robiniae* (a seed beetle)  
8, 298
- Amblyomma americanum* (lone star tick)  
236, 247, 312, 363, 381, 399, 418, 456
- Amblyomma cajennense* (Cayenne tick)  
347, 418
- Amblyomma maculatum* (Gulf Coast tick)  
247, 381
- Amblyomma variegatum* (a hardbacked tick)  
235

\* Also carried as *Herse cingulata* in Vol. 21.

- American black flour beetle  
(*Tribolium aoudax*)
- American cockroach  
(*Periplaneta americana*)
- American dagger moth  
(*Acrionicta americana*)
- American dog tick  
(*Dermacentor variabilis*)
- American grasshopper  
(*Schistocerca americana*)
- American plum borer  
(*Euzophera semifuneralis*)
- Amphimallon majalis (European chafer)  
114, 327, 363, 382, 479, 497
- Amphitornus coloradus (a grasshopper)  
498, 516, 663, 674
- Anabrus simplex (Mormon cricket)  
120, 354, 382, 401, 438, 459, 498,  
624, 635, 699
- Anacamptodes cypressaria (a geometrid  
moth) 211, 283
- Anacamptodes fragilaria (koa haole  
loopers) 70, 100, 101, 103, 165, 328,  
517, 608, 782
- Anacetrinus deplanatus (a weevil)  
151, 777, 781
- Anagasta kuehniella (Mediterranean flour  
moth) 297
- Anagrapha falcifera (celery looper)  
395, 565
- Anagyrus antoninae (an encyrtid wasp)  
104
- Ananca kanack (an oedemerid beetle)  
594
- Anaphes flavipes (a mymarid wasp)  
400, 419
- Anaphothrips obscurus (grass thrips)  
488
- Anarsia lineatella (peach twig borer)  
216, 414, 529, 661
- Anasa tristis (squash bug)  
203, 431, 473, 696
- Anastatus koebelei (a eupelmid wasp)  
734
- Anastrepha ludens (Mexican fruit fly)  
120, 164, 313, 327, 364, 365, 420,  
459, 606
- Anastrepha nigrifascia  
530, 724
- Anastrepha suspensa (Caribbean fruit  
fly) 114, 164, 348
- Anatis lecontei (a lady beetle)  
313
- Anatis quindecimpunctata  
374, 381
- Anavitrinella pampinaria (cranberry  
spanworm) 731
- Ancylis comptana fragariae (strawberry  
leafroller) 227, 324, 361
- Aneristus ceroplastae (a eulophid wasp)  
756
- Angoumois grain moth  
(*Sitotroga cerealella*)
- Anisota senatoria (orangestriped  
oakworm) 284
- Anceator nitens (tropical horse tick)  
249, 347
- Anomala orientalis (oriental beetle)  
157
- Anomis flava (hibiscus caterpillar)  
328
- Anopheles spp.  
591, 674
- Anopheles punctipennis  
399, 623, 698
- Anopheles quadrimaculatus (common  
malaria mosquito) 191, 698
- Anopheles walkeri  
674, 685, 732
- Anthocomus bipunctatus (a melyrid  
beetle) 212
- Anthonomus eugenii (pepper weevil)  
195, 383, 608
- Anthonomus grandis (boll weevil)  
32, 61, 113, 179, 294, 309, 313, 322,  
342, 350, 358, 367-368, 375, 393, 411,  
430, 437, 449, 457, 471, 479, 490, 497,  
510, 525, 546, 553, 566, 586, 587, 602,  
618, 632, 659, 671, 682, 695, 708, 720,  
730, 740, 751, 773
- Anthonomus musculus (cranberry weevil)  
295
- Anthonomus signatus (strawberry weevil)  
227, 324
- Anthophora occidentalis (a bee)  
418
- Anthrax distigma (a bombyliid fly)  
499, 500
- Anthrenus museorum (a dermestid beetle)  
780, 781
- Anthrenus scrophulariae (carpet beetle)  
251
- Antianthe expansa (a membracid bug)  
535, 536, 572, 675, 700, 744
- Anticarsia gemmatalis (velvetbean  
caterpillar) 176, 177, 255, 602, 631,  
682, 695, 708, 720, 721
- Antonina graminis (Rhodesgrass scale)  
104
- Apanteles comastes (a tabanid fly)  
533
- Anuraphis maidiradicis (corn root aphid)  
427
- Aonidiella aurantii (California red  
scale) 24, 163, 189, 225, 295, 396,  
590
- Aonidiella citrina (yellow scale)  
24, 44, 82, 98, 163, 189, 262, 311,  
360, 378, 434, 453, 530, 550, 589, 621,  
661, 721, 731, 741
- Apamea indocilis (a noctuid moth)  
8
- Apanteles spp. (braconids)  
145, 254, 458, 514
- Apanteles cinctiformis  
8
- Apanteles congregatus  
141
- Apanteles electrae  
277
- Apanteles miantonomoi  
8
- Apanteles militaris  
105, 505
- Apanteles portheiriae  
118
- Apbaereta pallipes (a braconid)  
254
- Aphidius pulcher (a braconid)  
173
- Aphidius smithi  
348
- Aphis craccivora (cowpea aphid)  
162, 198, 200, 261, 294, 481, 660
- Aphis fabae (bean aphid)  
184, 696, 700
- Aphis gossypii (cotton aphid)  
34, 182, 203, 226, 322, 342, 343, 358,  
376, 394, 473
- Aphis hederiae (ivy aphid)  
8, 18, 58, 59, 60, 270
- Aphis helianthi  
8
- Aphis nasturtii (buckthorn aphid)  
450, 473, 491
- Aphis nerii  
299
- Aphis pomi (apple aphid)  
126, 210, 215, 219, 234, 262, 344, 433,  
492, 513
- Aphis spiraeicola (spirea aphid)  
270
- Aphodius haemorrhoidalis (a scarab)  
8
- Aphodius washtucna  
8
- Aphrophora parallela (pine spittlebug)  
298, 345, 361, 379, 397, 416, 454
- Aphrophora saratogensis (Saratoga  
spittlebug) 280, 514
- Aphycus eruptor (an encyrtid wasp)  
103
- Aphycus luteolus  
434
- Aphycus mexicanus (an encyrtid wasp)  
165, 328, 625, 756
- Aphycus portoricensis\*  
636
- Aphytis spp. (aphelinid wasps)  
266
- Apion antiquum (South African emex  
weevil) 27, 350
- Apion longirostre (hollyhock weevil)  
8, 83, 85, 211, 213, 262, 378, 397,  
402, 416, 432, 435, 475, 481, 493, 500,  
512, 513, 531, 535, 548, 550, 567, 753,  
757
- Apion ulicis  
555
- Apis mellifera (honey bee)  
5, 45, 59, 252, 265, 327, 348, 497,  
534, 663, 723, 754
- Apotoforma sp. (a tortricid moth)  
46, 214, 725, 782
- Apple aphid  
(*Aphis pomi*)
- Apple curculio  
(*Tachypterellus quadrigibbus*)
- Apple grain aphid  
(*Rhopalosiphum fitchii*)
- Apple maggot  
(*Rhagoletis pomonella*)
- Apple mealybug  
(*Phenacoccus aceris*)
- Apristus constrictus (a ground beetle)  
729, 733
- Apterona crenulella (a psychid moth)  
157, 234, 524, 531, 535
- Araecerus fasciculatus (coffee bean  
weevil) 251, 252, 778
- Archips argyrospilus (fruittree leaf-  
roller) 216, 284, 377, 378, 379, 396,  
476, 494
- Archips cerasivoranus (uglynest  
caterpillar) 216
- Archips georgiana (a tortricid moth)  
226
- Archips semiferanus  
435, 494
- Argentine ant  
(*Iridomyrmex humilis*)
- Argyrotaenia citrana (orange tortrix)  
226
- Argyrotaenia pinatubana (pine tube moth)  
32, 33
- Argyrotaenia velutinana (redbanded  
leafroller) 216, 226, 310, 323, 344,  
378, 396, 414, 452
- Aristotelia fragariae (strawberry  
crownminer) 226
- Armadiidium vulgare (a pillbug)  
358
- Army cutworm  
(*Buxoa auxiliaris*)
- Armyworm  
(*Pseudaletia unipuncta*)
- Aroga websteri (sagebrush defoliator)  
157, 508, 694, 700
- Artichoke plume moth  
(*Platyptilia carduidactyla*)
- Ash borer  
(*Podosesia syringae fraxini*)
- Ash plant bug  
(*Tropidosteptes amoenus*)
- Asiatic garden beetle  
(*Maladera castanea*)

\* Carried as *Metaphycus portoricensis*  
in Vol. 21.

Asiatic oak weevil  
(*Cyrtopistomus castaneus*)  
Asparagus aphid  
(*Brachycolus asparagi*)  
Asparagus beetle  
(*Crioceris asparagi*)  
Asparagus miner  
(*Onhiomyia simplex*)  
Aspen blotchminer  
(*Lithocolletis tremuloidiella*)  
*Aspidiotus destructor* (coconut scale)  
19, 34, 85, 103, 193, 266, 328, 365,  
594, 608, 714  
Aster leafhopper  
(*Macrostelus fascifrons*)  
*Asterolecanium pustulans* (a pit scale)  
536  
*Atractomorpha sinensis* (pinkwinged  
grasshopper) 266  
*Atriplex* sp. (a soft scale)  
109  
*Atta texana* (Texas leafcutting ant)  
325  
*Aulocara* sp. (a grasshopper)  
498  
*Aulocara elliotii*  
117, 118, 401, 420, 438, 479, 498, 534,  
554, 674, 699, 712  
Australian cockroach  
(*Periplaneta australasiae*)  
*Autographa californica* (alfalfa looper)  
294, 316, 321, 374, 431, 567  
*Autographa falcifera* (a noctuid moth)  
374  
Azalea caterpillar  
(*Datana major*)  
Azalea leafminer  
(*Gracillaria azaleella*)  
*Azya luteipes* (a lady beetle)  
59, 675

**B**

Bagworm  
(*Thyridopteryx ephemeraeformis*)  
*Bakericheyla chanayi* (a cheyletid mite)  
8, 104  
Baldfaced hornet  
(*Vespa maculata*)  
Balsam fir sawfly  
(*Neodiprion abietis*)  
Balsam twig aphid  
(*Mindarus abietinus*)  
Balsam woolly aphid  
(*Adelges piceae*)  
Banded sunflower moth  
(*Phalonia hospes*)  
Bandedwing whitefly  
(*Trialeurodes abutilonea*)  
Banks grass mite  
(*Oligonychus pratensis*)  
Bark beetles  
271, 272, 273  
Barley thrips  
(*Limothrips denticornis*)  
Barnacle scale  
(*Ceroplastes cirripediformis*)  
*Bathyplectes* spp. (ichneumon wasps)  
327, 363, 699  
*Bathyplectes anura*  
253, 363, 365, 437  
*Bathyplectes curculionis*  
166, 169, 170, 191, 252, 253, 254,  
340, 348, 363, 374, 400, 410, 418,  
437, 457, 478, 496, 534, 585, 699  
Bean aphid  
(*Aphis fabae*)  
Bean butterfly  
(*Lempides boeticus*)

Bean fly  
(*Melanogromyza phaseoli*)  
Bean leaf beetle  
(*Cerotoma trifurcata*)  
Bean thrips  
(*Caliothrips fasciatus*)  
Bed bug  
(*Cimex lectularius*)  
*Bedellia orchilella* (sweetpotato  
leafminer) 70  
Beech scale  
(*Cryptococcus fagisuga*)  
Beet armyworm  
(*Spodoptera exigua*)  
Beet leafhopper  
(*Circulifer tenellus*)  
Beet leafminer  
(*Pegomya betae*)  
Beet webworm  
(*Loxostege sticticalis*)  
*Bipalium kewense* (a planarian flatworm)  
9  
Birch leafminer  
(*Fenusa pusilla*)  
Birch skeletonizer  
(*Bucculatrix canadensisella*)  
Birch tube maker  
(*Acrobasis betulella*)  
Black blister beetle  
(*Epicauta pennsylvanica*)  
Black blow fly  
(*Phormia regina*)  
Black carpenter ant  
(*Camponotus pennsylvanicus*)  
Black cherry aphid  
(*Myzus cerasi*)  
Black cherry fruit fly  
(*Rhagoletis fausta*)  
Black cutworm  
(*Agrotis ipsilon*)  
Black flies  
245, 362, 381  
Blackheaded ash sawfly  
(*Tethida cordigera*)  
Blackheaded fireworm  
(*Rhopobota naevana*)  
Black horse fly  
(*Tabanus atratus*)  
Blacklegged tick  
(*Ixodes scapularis*)  
Blackmargined aphid  
(*Monellia costalis*)  
Black parlatoria scale  
(*Parlatoria zizyphus*)  
Black peach aphid  
(*Brachycaudus persicae*)  
Black pecan aphid  
(*Tinocallis caryaefoliae*)  
Black pineleaf scale  
(*Nuculaspis californica*)  
Black scale  
(*Saissetia oleae*)  
Black turpentine beetle  
(*Dendroctonus terebrans*)  
Black vine weevil  
(*Brachyrhinus sulcatus*)  
*Blapstinus* spp. (darkling beetles)  
195  
*Blapstinus oregonensis*  
155  
*Blatta orientalis* (oriental cockroach)  
111, 250  
*Blattella germanica* (German cockroach)  
26, 111, 250, 754, 757  
Blissus spp.  
156, 158, 616, 681, 740  
*Blissus insularis* (southern chinch bug)  
158, 340, 356, 488, 617, 740, 750, 757  
*Blissus leucopterus hirtus* (hairy chinch  
bug) 158, 616, 681  
*Blissus leucopterus leucopterus* (chinch  
bug) 3, 152, 153, 158, 187, 260, 372,

427, 446, 488, 508, 524, 585, 616, 631,  
681, 740, 778  
Bloodsucking conenose  
(*Triatoma sanguisuga*)  
Blueberry bud mite  
(*Aceria vaccinii*)  
Blueberry maggot  
(*Rhagoletis mendax*)  
Bluegrass billbug  
(*Sphenophorus parvulus*)  
Bluegrass webworm  
(*Crambus teterrellus*)  
Boll weevil  
(*Anthonomus grandis*)  
Bollworm  
(*Heliothis zea*)  
*Bombotelia jocosatrix* (large mango tip  
borer) 349, 350, 744  
*Boopeton* sp. (a grasshopper)  
479  
*Boopeton nubilum*  
117  
*Boophilus* spp. (hardbacked ticks)  
26, 58, 111, 235, 363, 399, 418, 515,  
592, 723  
*Boophilus annulatus* (cattle tick)  
111, 515, 592  
*Boophilus microplus* (southern cattle  
tick) 111, 235, 515, 592  
*Bothynus gibbosus* (carrot beetle)  
255  
*Bovicola bovis* (cattle biting louse)  
246  
*Bovicola equi* (horse biting louse)  
246, 478  
Boxelder bug  
(*Leptocoris trivittatus*)  
Boxelder twig borer  
(*Proteoteras willingana*)  
Boxwood leafminer  
(*Monarthropalpus buxi*)  
*Brachycaudus helichrysi*  
513  
*Brachycaudus persicae* (black peach  
aphid) 220  
*Brachycolus asparagi* (asparagus aphid)  
6, 9, 205, 310, 376, 473, 512, 548,  
567, 633, 660, 664, 709, 714  
*Brachymeria intermedia* (a chalcid)  
118  
*Brachyrhinus* spp.  
269  
*Brachyrhinus ligustici* (alfalfa snout  
beetle) 321  
*Brachyrhinus ovatus* (strawberry root  
weevil) 158, 184, 227, 269  
*Brachyrhinus rugosostriatus*  
158, 227, 269  
*Brachyrhinus singularis*  
227, 393, 402  
*Brachyrhinus sulcatus* (black vine weevil)  
98, 227, 233, 269, 345  
Braconids  
553, 733  
*Bradysia picea* (a sciarid fly)  
245  
*Brevicoryne brassicae* (cabbage aphid)  
102, 202, 261, 403, 451  
*Brevipalpus lewisi* (citrus flat mite)  
229, 378, 568  
Bristly cutworm  
(*Lacinipolia renigera*)  
Bronze birch borer  
(*Agrilus anxius*)  
Brownbanded cockroach  
(*Supella longipalpa*)  
Brown citrus aphid  
(*Toxoptera citricida*)  
Brown cockroach  
(*Periplaneta brunnea*)  
Brown dog tick  
(*Rhipicephalus sanguineus*)



Brown garden snail  
(*Helix aspersa*)  
Brown recluse spider  
(*Loxosceles reclusa*)  
Brown soft scale  
(*Coccus hesperidum*)  
Brown spider beetle  
(*Ptinus clavipes*)  
Brown stink bug  
(*Euschistus servus*)  
Browntail moth  
(*Nygmia phaeorrhoea*)  
Brown wheat mite  
(*Petrobia latens*)  
*Bruchophagus platyptera* (clover seed chalcid) 694  
*Bruchophagus roddi* (alfalfa seed chalcid) 176, 631  
*Bruchus brachialis* (vetch bruchid) 171, 736  
*Bruchus pisorum* (pea weevil) 199, 711  
*Bryobia praetiosa* (clover mite) 23, 210, 212, 233, 251  
*Bucculatrix ainsliella* (oak skeletonizer) 283, 494  
*Bucculatrix canadensisella* (birch skeletonizer) 283, 723  
*Bucculatrix thurberiella* (cotton leaf-perforator) 299, 375, 511, 603, 619, 696, 708, 740  
Buck moth  
(*Hemileuca maia*)  
Buckthorn aphid  
(*Aphis nasturtii*)  
Bumblebees  
534, 553  
*Buprestis aurulenta* (golden buprestid) 191  
*Byturus rubi* (eastern raspberry fruitworm) 397

C

Cabbage aphid  
(*Brevicoryne brassicae*)  
Cabbage looper  
(*Trichoplusia ni*)  
Cabbage maggot  
(*Hylemya brassicae*)  
Cabbage webworm  
(*Hellula rogatalis*)  
*Cactoblastis cactorum* (a cactus moth) 714  
Cadelle  
(*Tenebroides mauritanicus*)  
*Cadra cautella* (almond moth) 251, 252  
California oakworm  
(*Phryganidia californica*)  
California pearslug  
(*Pristiphora abbreviata*)  
California red scale  
(*Aonidiella aurantii*)  
*Caliothrips fasciatus* (bean thrips) 198, 200, 548  
*Calirosa cerasi* (pearslug) 221, 360, 529, 549, 568, 661  
*Calleida decora* (a carabid beetle) 255  
*Calligrapha scalaris* (elm calligrapha) 264  
*Callirhytis cornigera* (a cynipid wasp) 380  
*Callirhytis milleri* 25  
*Callirhytis perdens* 68  
*Callirhytis punctata* 622

*Callopietria* sp. (a noctuid moth) 572, 665  
*Calocalpe undulata*  
See *Hydria undulata*  
*Calomycterus setarius* (a Japanese weevil) 9, 251  
*Calosoma calidum* (fiery hunter) 255  
*Calosoma frigidum* (a carabid beetle) 281  
*Calosoma sycophanta* 281  
*Calpodes ethlius* (larger canna leafroller) 697  
Camellia scale  
(*Lepidosaphes camelliae*)  
*Camnula pellucida* (clearwinged grasshopper) 117, 458, 498, 534, 592, 606, 663, 674  
*Camponotus perdistinctus* (an ichneumon wasp) 496, 497  
*Camponotus* spp.  
99, 250  
*Camponotus ferrugineus* (red carpenter ant) 99  
*Camponotus pennsylvanicus* (black carpenter ant) 99, 250  
*Camponotus subbarbatus* 9  
Cane leafhopper egg sucker  
(*Tythus mundulus*)  
Cankerworms  
263, 379, 417  
*Capitophorus* spp. (aphids) 270  
*Cardiochiles nigriceps* (a braconid) 535  
Caribbean fruit fly  
(*Anastrepha suspensa*)  
Carmine spider mite  
(*Tetranychus cinnabarinus*)  
Carpenter ants  
250  
Carpet beetle  
(*Anthrenus scrophulariae*)  
*Carpophilus lugubris* (dusky sap beetle) 152, 524  
Carrion beetle  
(*Silpha bituberosa*)  
Carrot beetle  
(*Bothynus gibbosus*)  
Carrot rust fly  
(*Psila rosae*)  
Carrot weevil  
(*Listronotus oregonensis*)  
*Carulaspis giffardi* (an armored scale) 46  
*Carulaspis juniperi* (juniper scale) 270, 753, 757  
*Casiniaria infesta* (an ichneumon wasp) 555, 734, 756  
Cat flea  
(*Ctenocephalides felis*)  
*Catabena esula* (a noctuid moth) 19, 531  
Catalpa sphinx  
(*Ceratonia catalpae*)  
Cattle biting louse  
(*Bovicola bovis*)  
Cattle lice  
16, 127, 212, 236  
Cattle tail louse  
(*Haematopinus quadripertusus*)  
Cattle tick  
(*Boophilus annulatus*)  
*Caulocampus acericaulis* (maple petiole borer) 417  
Cayenne tick  
(*Amblyomma cajennense*)  
*Cecidomyia piniinopsis* (a cecidomyiid midge) 753  
*Cecidomyia resinicoloides* (Monterey pine resin midge) 271

*Cecidomyia texana* 184, 707  
*Cecidophopsis psilaspis* (an eriophyid mite) 9, 270  
*Celama scorghiella* (sorghum webworm) 147, 507, 601, 613, 616, 630, 657, 669, 670, 693, 705  
Celery looper  
(*Anagrapha falcifera*)  
*Centruroides keysi* (keys striped scorpion) 780  
*Cephenemyia jellisoni* (a nose bot fly) 417  
*Cephus cinctus* (wheat stem sawfly) 153-155, 386, 391, 680  
*Ceramia picta* (zebra caterpillar) 175, 183, 567, 708  
*Ceratitis capitata* (Mediterranean fruit fly) 27  
*Ceratocombus vagans* (a jumping ground bug) 460  
*Ceratonia catalpae* (catalpa sphinx) 733  
Cereal leaf beetle  
*Oulema melanopus*  
*Cerococcus kalmiae* (a pit scale) 697, 700  
*Cerococcus parrotti* 380, 385  
*Ceroplastes ceriferus* (a soft scale) 270  
*Ceroplastes cirripediformis* (barnacle scale) 103, 104, 112, 165, 266, 328, 517, 594, 625, 725, 756  
*Ceroplastes irregularis* 109, 112  
*Cerotoma trifurcata* (bean leaf beetle) 32, 176, 199, 233, 359, 413, 430, 448, 565, 682, 696, 707  
*Chaetocnema* spp.  
409, 508  
*Chaetocnema confinis* (sweetpotato flea beetle) 158, 204, 373, 413  
*Chaetocnema ectypa* (desert corn flea beetle) 151, 390, 409, 508, 602  
*Chaetocnema pulicaria* (corn flea beetle) 151, 320, 355, 372, 390, 409, 427, 508, 524, 544, 564, 584  
*Chaetogaedia monticola* (a tachinid fly) 328  
*Chaetophloeus heterodoxus* (a bark beetle) 684, 688  
Chaff scale  
(*Parlatoria pergandii*)  
*Chalcodermus aeneus* (cowpea curculio) 198, 199  
*Chalcolepidius erythroloma* (a click beetle) 421  
*Chelospistes meleagridis* (large turkey louse) 127, 128  
Cherry fruit fly  
(*Rhagoletis cingulata*)  
Cherry fruitworm  
(*Grapholitha packardii*)  
*Cheumatopsyche analis* (a caddisfly) 756, 757, 781, 782  
*Chilocorus stigma* (twicestabbed lady beetle) 711  
Chinch bug  
(*Blissus leucopterus leucopterus*)  
Chinese rose beetle  
(*Adoretus sinicus*)  
*Chirothrips mexicanus* (a thrips) 155  
*Chlorochroa sayi* (Say stink bug) 174, 184, 198  
*Chlorotabanus crepuscularis* (a tabanid fly) 245, 456  
*Choristoneura conflictana* (large aspen tortrix) 273, 277, 476, 514  
*Choristoneura fumiferana* (spruce budworm) 275, 277, 397, 416, 475, 493, 514, 569

- Choristoneura houstonana (a tortricid moth) 267
- Choristoneura occidentalis (western spruce budworm) 271, 272
- Choristoneura pinus (jack pine budworm) 254, 277, 435, 454, 475, 514
- Choristoneura rosaceana (obliquebanded leafroller) 216, 474
- Choristoneura zapulata 267
- Chorizagrotis auxiliaris  
See Euxoa auxiliaris
- Chorthippus curtipennis (a grasshopper) 554
- Chromaphis juglandicola (walnut aphid) 223, 712
- Chrysobothris floricola (a buprestid beetle) 605
- Chrysodeixis chalcites (a noctuid moth) 27, 214
- Chrysolina spp. (chrysolid beetles) 478
- Chrysolina quadrigemina (a klamathweed beetle) 252, 255, 381
- Chrysomela scripta (cottonwood leaf beetle) 211, 286, 346, 417
- Chrysomelid beetles 346
- Chrysomphalus anidum (Florida red scale) 100, 102, 214, 460
- Chrysomya spp. (blow flies) 104
- Chrysomya megacephala 104
- Chrysopa spp. (green lacewings) 192, 256, 457, 604, 723
- Chrysopa colorandensis 256
- Chrysopa oculata (goldeneye lacewing) 256, 297
- Chrysops spp. (deer flies) 245, 456, 477, 533
- Chrysops aestuans 533
- Chrysops discalis 456, 533
- Chrysops indus 9
- Chrysops moechus 245
- Chrysoteuchia topiaria (cranberry girdler) 156, 361, 434
- Cigarette beetle (Lasioderma serricorne)
- Cimex lectularius (bed bug) 246
- Cinara carolina (a conifer aphid) 555, 594, 714
- Cinara curvipes 234
- Cinara palmerae 9
- Cinara pinivora 779, 781
- Cinara strobii (white pine aphid) 98, 234, 416, 435
- Cinara tujaefilina 4, 165, 263, 280, 296
- Circulifer tenellus (beet leafhopper) 31, 43, 61, 125, 132-133, 184, 231, 259, 291, 307, 339, 371, 407, 425, 443, 467, 521, 561, 581, 599, 655, 669, 693, 705, 719, 749
- Citheronia pecalis (hickory horned devil) 247
- Citrus blackfly (Aleurocanthus woglumi)
- Citrus flat mite (Brevipalpus lewisii)
- Citrus mealybug (Planococcus citri)
- Citrus red mite (Panonychus citri)
- Citrus rust mite (Phyllocoptruta oleivora)
- Citrus thrips (Scirtothrips citri)
- Citrus whitefly (Dialeurodes citri)
- Clastoptera achatina (pecan spittlebug) 224, 396, 415, 492
- Clavaspis subsimilis (an armored scale) 235, 236, 265
- Claybacked cutworm (Agrotis gladiaria)
- Clearwinged grasshopper (Cammula pellucida)
- Clivina impressifrons (slender seedcorn beetle) 372, 427
- Clouded plant bug (Neurocolpus nubilus)
- Cloudywinged whitefly (Dialeurodes citrifolii)
- Clover head weevil (Hypera meles)
- Clover leafhopper (Aceratagallia sanguinolenta)
- Clover leaf weevil (Hypera punctata)
- Clover mite (Bryobia praetiosa)
- Clover root curculio (Sitona hispidulus)
- Clover seed chalcid (Bruchoaphagus platyptera)
- Clover stem borer (Languria mozardi)
- Cluster fly (Pollenia rudis)
- Cnephasia longana (omnivorous leaf tier) 344, 375, 434
- Coccidoxenus mexicanus (an encyrtid wasp) 103, 104, 112, 266, 328, 517, 625
- Coccinella novemnotata 494, 711
- Coccinella septempunctata bruckii 19, 34, 105
- Coccinella transversoguttata (transverse lady beetle) 255, 614
- Coccus hesperidum (brown soft scale) 24, 98, 234, 270, 378, 434, 700, 722, 752
- Coccus viridis (green scale) 59, 102, 237
- Cochliomyia hominivorax (screwworm) 4, 18, 25, 33, 44, 58, 68, 83, 99, 110, 127, 190, 192, 211, 235, 239, 264, 296, 312, 326, 346, 362, 380, 399, 417, 436, 455, 477, 495, 532, 551, 569, 591, 605, 623, 662, 685, 698, 711, 723, 732, 742, 754, 780
- Cocklebur weevil (Rhodoabaenus tredecimpunctatus)
- Cockroaches 111, 250
- Cocoon leafroller (Hedylecta blackburni)
- Cocoon scale (Aspidiotus destructor)
- Coaling moth (Laspeyresia pomonella)
- Coelophora sp. 403
- Coelophora inaequalis (common Australian lady beetle) 481, 555, 734
- Coffee bean weevil (Araecerus fasciculatus)
- Colaspis flavida (a leaf beetle) 488
- Colaspis pini (pine colaspis) 493
- Coleomegilla maculata (a lady beetle) 69, 111, 255, 297, 347, 381, 437, 456, 515, 553, 592, 614, 711
- Coleophora laricella (larch casebearer) 9, 271, 622
- Coleotechnites milleri (lodgpole needleminer) 272, 753
- Colias eurytheme (alfalfa caterpillar) 125, 174, 294, 321, 411, 489, 545, 565, 602, 617, 658, 670, 681, 695, 706, 720, 730, 740, 751
- Collops spp. (melyrid beetles) 381, 592, 723
- Collops quadrimaculatus 381
- Collops vittatus 255
- Coloradia pandora lindseyi (a saturniid moth) 277, 550
- Colorado potato beetle (Leprinetarsa decemlineata)
- Common Australian lady beetle (Coelophora inaequalis)
- Common cattle grub (Hypoderma lineatum)
- Common malaria mosquito (Anopheles quadrimaculatus)
- Comstock mealybug (Pseudococcus comstocki)
- Confused flour beetle (Tribolium confusum)
- Conoderus falli (southern potato wireworm) 151, 182, 195, 340
- Conoderus vespertinus (tobacco wireworm) 182
- Conotrachelus nenuphar (plum curculio) 217, 227, 310, 396, 414, 452, 529, 702
- Contarinia spp. (cecidomyiid midges) 604, 619
- Contarinia sorghicola (sorghum midge) 142, 152, 469, 488, 508, 524, 544, 564, 585, 601, 616, 630, 657, 670, 680, 700, 705, 719, 734, 739, 749, 782
- Convergent lady beetle (Hippodamia convergens)
- Cooley spruce gall aphid (Adelges cooleyi)
- Copidosoma truncatellum (an encyrtid wasp) 27
- Copris incertus procius (a scarab) 555
- Coptosoma xanthogramma (a plataspid bug) 46, 70, 85, 103, 214, 237, 350
- Coptotermes formosanus (Formosan subtterranean termite) 364, 421, 438
- Coquillettia perturbans (a mosquito) 243, 495, 515, 532, 552, 569, 591, 674, 732
- Cordillacris sp. (a grasshopper) 498
- Cordillacris occipitalis 438
- Corn blotch leafminer (Agromyza parvicornis)
- Corn earworm (Heliothis zea)
- Corn flea beetle (Chaetocnema pulicaria)
- Corn leaf aphid (Rhopalosiphum maidis)
- Corn planthopper (Peregrinus maidis)
- Corn root aphid (Amuraphis maidiradicis)
- Corn root webworm (Crambus caliginosellus)
- Corythucha arcuata (oak lace bug) 710
- Corythucha cydoniae (hawthorn lace bug) 732, 733
- Corythucha montivaga 742, 743
- Cosmobaris americana (a weevil) 183
- Cosymbia serrulata (kiawe flower looper) 299, 328, 439

Cotinis nitida (green June beetle)  
157, 254, 524  
Cotton aphid  
(Aphis gossypii)  
Cotton fleahopper  
(Pseudatomoscelis seriatus)  
Cotton leafperforator  
(Bucculatrix thurberiella)  
Cotton leafworm  
(Alabama argillacea)  
Cottonwood leaf beetle  
(Chrysomela scripta)  
Cottonycushion scale  
(Icerya purchasi)  
Cottony maple scale  
(Pulvinaria innumerabilis)  
Cowpea aphid  
(Aphis craccivora)  
Cowpea curculio  
(Chalcodermus aeneus)  
Crambus spp. (sod webworms)  
156, 408  
Crambus bonifatellus  
156  
Crambus caliginosellus (corn root  
webworm) 408  
Crambus teterrellus (bluegrass webworm)  
157  
Cranberry fruitworm  
(Acrobasis vaccinii)  
Cranberry girdler  
(Chrysoteuchia topiaria)  
Cranberry spanworm  
(Anavitrinella pampinaria)  
Cranberry weevil  
(Anthonomus musculus)  
Cratichneumon sublatus (an ichneumon  
wasp) 281  
Cricocaris spp. (asparagus beetles)  
395  
Cricocaris asparagi (asparagus beetle)  
9, 204, 395, 413, 432  
Cricocaris duodecimpunctata (spotted  
asparagus beetle) 9, 192, 204, 395,  
413, 451, 473, 548  
Croesia albicomana (oak leaf-tier)\*  
83, 204, 435, 455, 494, 622  
Croesia semipurpurana (oak leaf-tier)  
See Croesia albicomana  
Croesia latitarsus (dusky birch sawfly)  
605  
Cross-striped cabbageworm  
(Evergestis rimosalis)  
Croton caterpillar  
(Achaea janata)  
Cryptoblabes aliena (a pyralid moth)  
700, 734, 744, 782  
Cryptochetum iceryae (a cryptochetid fly)  
105, 594  
Cryptococcus fagisuga (beech scale)  
273  
Cryptolaemus montrouzieri (a lady beetle)  
59, 401, 460, 536  
Cryptolestes pusillus (flat grain beetle)  
191, 780  
Cryptophlebia ombrodelta (litchi fruit  
moth) 481  
Cryptorhynchus lapathi (poplar-and-  
willow borer) 126  
Cryptotermes brevis (a powderpost  
termite) 250, 421  
Ctenicera pruinina (Great Basin wireworm)  
125  
Ctenocephalides spp.  
246  
Ctenocephalides canis (dog flea)  
246

Ctenocephalides felis (cat flea)  
239, 246  
Cuban laurel thrips  
(Gynaikothrips ficorum)  
Culex spp. (mosquitoes)  
27, 85, 165, 243, 299, 365, 398, 477,  
536, 594, 623, 675, 698, 734, 756, 782  
Culex pipiens  
244  
Culex pipiens quinquefasciatus (southern  
house mosquito) 27, 85, 104, 165, 191,  
244, 264, 299, 326, 365, 533, 536, 594,  
675, 734, 756, 782  
Culex restuans  
244, 399, 456, 623, 698, 711, 732  
Culex salinarius  
191, 244  
Culex tarsalis  
9, 244, 264, 362, 398, 417, 495, 532,  
552, 569, 623, 674, 685  
Culex territans  
244  
Culicoides sp. (a biting midge)  
245  
Culiseta inornata (a mosquito)  
191, 264, 347, 362, 380, 399, 456, 685,  
711, 732  
Culiseta morsitans  
674, 685, 711, 732  
Cupes clathratus (a cupesid beetle)  
6, 102  
Curculio caryae (pecan weevil)  
9, 44, 223, 621, 661, 683, 696, 709,  
741, 752  
Currant borer  
(Synanthedon tipuliformis)  
Cutworms  
395, 431, 568  
Cyclamen mite  
(Stenotarsonemus pallidus)  
Cylas formicarius elegantulus (sweetpotato  
weevil) 45, 46, 121, 236, 266, 635  
Cylindrocopturus eatoni (a weevil)  
25  
Cyrtopistomus castaneus (Asiatic oak  
weevil) 44, 46, 286, 548, 551, 567,  
569, 587, 671, 684, 688, 711, 714, 722  
Cyrtopeltis modestus (a plant bug)  
687  
Cyrtorhinus sp. (a predacious mirid bug)  
403  
Cyrtorhinus fulvus  
59  
Cyrtorhinus lividipennis  
756

**D**

Dactyloctenium aegyptium (a mosquito)  
479, 481  
Dacus dorsalis (oriental fruit fly)  
45, 101, 102, 120, 686, 712, 724  
Damsel bugs  
553  
Danaus plexippus (monarch butterfly)  
712  
Darksided cutworm  
(Euxoa messoria)  
Dasychira plagiata (pine tussock moth)  
254, 279, 476, 493  
Datana contracta (a notodontid moth)  
754, 757  
Datana integerrima (walnut caterpillar)  
513, 530, 551, 569, 589, 683, 696, 710,  
741  
Datana major (azalea caterpillar)  
269, 710  
Datana ministra (yellownecked caterpillar)  
531

Dectes texanus texanus (a cerambycid  
beetle)\* 3, 5, 177, 657, 658, 664, 751  
Defoliators  
272, 273  
Delphacodes propinqua (a delphacid plant-  
hopper) 730, 778  
Dendroctonus spp. (bark beetles)  
211, 379, 732  
Dendroctonus adjunctus (roundheaded pine  
beetle) 272  
Dendroctonus brevicornis (western pine  
beetle) 25, 44, 272, 276, 684  
Dendroctonus frontalis (southern pine  
beetle) 126, 211, 273, 324, 345, 379,  
416, 454, 550, 673, 732, 753, 779  
Dendroctonus ponderosae (mountain pine  
beetle) 271, 272, 276, 379  
Dendroctonus pseudotsugae (Douglas fir  
beetle) 271, 272  
Dendroctonus rufipennis (spruce beetle)  
271, 272  
Dendroctonus terebrans (black  
turpentine beetle) 211, 273, 276, 732,  
753  
Dendrotettix quercus (a grasshopper)  
551  
Depressed flour beetle  
(Palorus subdepressus)  
Dermacentor spp. (hardbacked ticks)  
363, 399, 418  
Dermacentor albipictus (winter tick)  
18, 69, 247, 363, 399, 418  
Dermacentor andersoni (Rocky Mountain  
wood tick) 247, 326, 347, 363, 399, 418  
Dermacentor variabilis (American dog tick)  
247, 264, 297, 312, 362, 363, 381, 399,  
418, 437, 496, 533, 535, 623  
Dermostes lardarius (larder beetle)  
251  
Dermostid beetles  
69  
Desert corn flea beetle  
(Chaetocnema ectypa)  
Desmia funeralis (grape leaf folder)  
311  
Diabrotica spp. (corn rootworms)  
142, 148-151, 292, 427, 487, 488, 507,  
523, 544, 564, 584, 601, 615, 656  
Diabrotica atripennis  
151  
Diabrotica longicornis (northern corn  
rootworm) 9, 67, 70, 148-151, 292, 391,  
487, 507, 523, 535, 544, 564, 584, 601,  
615, 616, 620, 630, 633, 656, 664, 671,  
680, 688, 694, 700  
Diabrotica undecimpunctata howardi  
(southern corn rootworm, spotted  
cucumber beetle) 23, 148-149, 178, 188,  
199, 203, 233, 357, 391, 427, 431, 510,  
523, 527, 528, 546  
Diabrotica undecimpunctata tenella  
203  
Diabrotica undecimpunctata undecimpunctata  
(western spotted cucumber beetle) 199,  
203, 269, 528, 544  
Diabrotica virgifera (western corn  
rootworm) 9, 148, 149, 292, 320, 469,  
488, 507, 508, 523, 544, 564, 584, 601,  
608, 615, 616, 620, 630, 656, 664, 693,  
700, 706, 714, 749, 757  
Diacrita plana (an otitid fly)  
9  
Diadegma insularis (an ichneumon wasp)  
756  
Dialeurodes citri (citrus whitefly)  
224, 225, 270, 401  
Dialeurodes citrifolii (cloudywinged  
whitefly) 165, 224, 225

\* Also carried as Croesia semipurpurana  
and in error as Argyrotaxa semipur-  
purana in Vol. 21.

\* Carried in Volume 21 as Dectes sayi  
in error.

Diamondback moth  
(*Plutella xylostella*)  
*Diaparsis carinifer* (an ichneumon wasp)  
 535  
*Diaphania hyalinata* (melonworm)  
 203  
*Diaphania nitidalis* (pickleworm)  
 139  
*Diaperomera femorata* (walkingstick)  
 211, 273, 281, 623, 685, 697, 742  
*Diaprepes abbreviatus* (West Indian  
 sugarcane root borer) 121, 349, 459,  
 699, 724, 781  
*Daspidiotus ancyclus* (Putnam scale)  
 162, 165  
*Diaspis bromeliae* (pineapple scale)  
 24  
*Diatraea crambidoides* (southern cornstalk  
 borer) 145  
*Diatraea grandiosella* (southwestern corn  
 borer) 23, 142, 146, 446, 469, 633,  
 719, 729, 739, 743, 749, 757, 777  
*Diatraea saccharalis* (sugarcane borer)  
 31, 142, 145  
*Diceroprocta apache* (a cicada)  
 221, 286  
*Diceroprocta vitripennis*  
 83, 85  
*Dichomeris marginella* (juniper webworm)  
 263, 269, 397  
 Differential grasshopper  
 (*Melanoplus differentialis*)  
*Dikraneura carneola* (a leafhopper)  
 356, 545  
*Dilophus orbatus* (a March fly)  
 23  
 Dingy cutworm  
 (*Feltia subgithica*)  
*Dioryctria disclusa* (a pyralid moth)  
 277  
*Dioryctria zimmermani* (Zimmerman pine  
 moth) 269  
*Diprion similis* (introduced pine sawfly)  
 280  
 Dog flea  
 (*Ctenocephalides canis*)  
*Dolerus collaris* (a sawfly)  
 409  
*Dorcus brevis* (a stage beetle)  
 567  
 Douglas fir beetle  
 (*Dendroctonus pseudotsugae*)  
 Douglas fir tussock moth  
 (*Homocampa pseudotsugata*)  
*Drepanopterna femoratum* (a grasshopper)  
 438, 663  
*Drino* sp. (a tachina fly)  
 458  
*Drosophila* spp. (vinegar flies)  
 198, 709  
 Dusky birch sawfly  
 (*Croesus latitarsus*)  
 Dusky sap beetle  
 (*Carpophilus lugubris*)  
*Dysaphis plantaginea* (rosy apple aphid)  
 219, 295, 324, 433  
*Dysaphis tulipae* (tulip bulb aphid)  
 9, 102  
*Dyscinetus morator* (a scarab)  
 25  
*Dysmicoccus neobrevipes* (a mealybug)  
 431

**E**

Ear tick  
 (*Otocbius megmini*)  
 Earwigs  
 251  
 Eastern pineshoot borer  
 (*Eucosma gloriola*)

Eastern raspberry fruitworm  
 (*Byturus rubi*)  
 Eastern spruce gall aphid  
 (*Adelges abietis*)  
 Eastern subterranean termite  
 (*Reticulitermes flavipes*)  
 Eastern tent caterpillar  
 (*Malacosoma americanum*)  
*Edessa florida* (a stink bug)  
 730, 733  
*Edwardsiana prunicola* (prune leafhopper)  
 220  
*Edwardsiana rosae* (rose leafhopper)  
 270  
 Egyptian alfalfa weevil  
 (*Hypera brunneipennis*)  
*Elaphidionoides villosus* (twig pruner)  
 741  
*Elasmopalpus lignosellus* (lesser corn-  
 stalk borer) 146, 157, 177, 178, 199,  
 449, 510, 524, 525, 546, 566, 586, 601,  
 616, 631, 633, 694, 739, 750, 751  
*Elatobium abietinum* (spruce aphid)  
 9, 234, 716  
*Elimaea punctifera* (narrow winged  
 katydid) 350, 594, 636, 665, 734  
 Elm calligrapha  
 (*Calligrapha scalaris*)  
 Elm flea beetle  
 (*Altica carinata*)  
 Elm leaf beetle  
 (*Pyrrhalta luteola*)  
*Emmesomyia socia* (an anthomyiid fly)  
 5  
*Empoasca* spp. (leafhoppers)  
 263  
*Empoasca fabae* (potato leafhopper)  
 139, 372, 390, 408, 426, 444, 468, 486,  
 506, 522, 542, 562, 582, 600, 629, 655  
*Empoasca solana* (southern garden  
 leafhopper) 700  
*Empria maculata* (a strawberry sawfly)  
 415  
*Encarsia formosa* (a eupholid wasp)  
 723  
*Enchenopa binotata* (twomarked treehopper)  
 633  
 English grain aphid  
 (*Macrosiphum avenae*)  
*Etetranychus sexmaculatus* (sixspotted  
 mite) 44, 82, 98, 162, 189, 200, 224,  
 262, 310, 360, 378, 434  
*Etetranychus yuensis* (Yuma spider mite)  
 224  
*Ephesia elutella* (tobacco moth)  
 517, 708  
*Ephydra gracilis* (an ephydrid fly)  
 245  
*Epicauta pennsylvanica* (black blister  
 beetle) 269  
*Epicauta pestifera* (margined blister  
 beetle) 195  
*Epicauta vittata* (striped blister beetle)  
 510  
*Epidiaspis leperii* (Italian pear scale)  
 82, 97, 162, 475, 752  
*Epilachna borealis* (squash beetle)  
 660, 664, 696  
*Epilachna varivestis* (Mexican bean  
 beetle) 120, 176, 198, 430, 448, 471,  
 473, 525, 527, 546, 548, 565, 567, 602,  
 604, 658, 660, 671, 682, 683, 690, 695,  
 696, 707, 720, 730  
*Epinotia aceriella* (maple trumpet  
 skeletonizer) 284  
*Epinotia nanana* (an clethreutid moth)  
 476  
*Epiphyas postvittana* (light brown apple  
 moth) 625  
*Epitrimerus pyri* (pear rust mite)  
 324

*Epitrix cucumeris* (potato flea beetle)  
 195, 473  
*Epitrix hirtipennis* (tobacco flea beetle)  
 101, 182, 194, 195, 309, 358, 375, 394,  
 412, 430, 472, 491, 547, 566, 572, 596,  
 604, 619, 632, 633, 744  
*Epitrix tuberosa* (tuber flea beetle)  
 195, 491, 610, 672  
*Eranis tiliaria* (linden looper)  
 283, 494  
*Eretmocerus paulistus* (a eupholid wasp)  
 326, 743  
*Eriborus terebrans* (an ichneumon wasp)  
 128  
*Eriococcus caroliniae* (an eriococcid scale)  
 9  
*Eriococcus coccineus*  
 83  
*Eriophyes canestrinii* (an eriophyid mite)  
 58, 60  
*Eriophyes peucedani*  
 206  
*Eriophyes theospyri*  
 110, 112  
*Eriophyes tulipae* (wheat curl mite)  
 208, 320  
*Eriosoma lanigerum* (woolly apple aphid)  
 32, 44, 82, 126, 189, 219, 255, 324,  
 452, 492  
*Eryniopsis rondani* (a tachina fly)  
 10, 256  
*Erythroneura* spp. (leafhoppers)  
 263, 697  
*Erythroneura comes*  
 550, 697  
*Erythroneura zizcae* (Virginia creeper  
 leafhopper) 228, 270  
*Estigmene acrea* (saltmarsh caterpillar)  
 204, 696, 752. Light traps: 128, 164,  
 192, 213, 237, 266, 298, 315, 329, 351,  
 366, 384, 404, 422, 440, 461, 482, 501,  
 518, 537, 556, 573, 595, 609, 626, 637,  
 666, 676, 689, 701, 726, 735, 745, 758  
*Ethmia nigroapicella* (kou leafworm)  
 421  
*Euborellia annulipes* (ringlegged earwig)  
 212, 251  
*Eucelatoria armigera* (a tachina fly)  
 734, 756  
*Eucoila* sp. (a cynipid wasp)  
 254  
*Euconocephalus nasutus* (a longhorn  
 grasshopper) 19, 46, 85, 105, 350, 499,  
 500  
*Eucosma gloriola* (eastern pineshoot borer)  
 684, 688  
*Eudecatoma marylandica* (a eurytomid wasp)  
 620, 622  
*Eutheola rugiceps* (sugarcane beetle)  
 340, 355, 365, 390, 394, 446, 459, 462  
*Euglandina rosea* (a snail)  
 517, 608  
*Eulachnus agilis* (an aphid)  
 290, 379, 416, 590  
*Eulachnus rileyi*  
 263  
*Eumerus tuberculatus* (lesser bulb fly)  
 731  
 Euonymus scale  
 (*Unaspis euonymi*)  
*Eupelmus popa* (a eupelmid wasp)  
 734  
*Eupeodes volucris* (a syrphid fly)  
 570  
*Euphoria rufobrunnea* (a scarab)  
 729, 733  
*Euplectrus plathypeneae* (a eupholid wasp)  
 252, 254  
 European apple sawfly  
 (*Hoplocampa testudinea*)  
 European chafer  
 (*Amphimallon majalis*)

European clover leaflier  
(*Mirificarma formosella*)  
European corn borer  
(*Ostrinia nubilalis*)  
European crane fly  
(*Tipula paludosa*)  
European earwig  
(*Forficula auricularia*)  
European elm scale  
(*Gossyparia spuria*)  
European fruit lecanium  
(*Lecanium corni*)  
European mantid  
(*Mantis religiosa*)  
European pine sawfly  
(*Neodiprion sertifer*)  
European pine shoot moth  
(*Rhyacionia buoliana*)  
European red mit  
(*Panonychus ulmi*)  
*Eurosta solidaginis* (a tephritid fly)  
553  
*Eurytoma obtusiventris* (a eurytomid wasp)  
548, 553  
*Euscelis ohausi* (a leafhopper)  
616, 620  
*Euschistus conspersus*  
220  
*Euschistus servus* (brown stink bug)  
178, 198  
*Eutetranychus banksi* (Texas citrus mite)  
4, 18, 24, 44, 57, 82, 98, 162, 189,  
224, 225, 262, 310, 378, 434, 453, 530,  
550, 589, 621, 661, 721, 731, 741  
*Euthyrhynchus floridanus* (a stink bug)  
256  
*Eutreta xanthochaeta* (lantana gall fly)  
34, 59  
*Eutrombicula* spp. (chigger mites)  
249  
*Eutrombicula belkini*  
235  
*Euxoa* sp. (a cutworm)  
254  
*Euxoa auxiliaris* (army cutworm)  
3, 43, 125, 130, 161, 187, 209, 231,  
259, 291, 307, 319, 339, 355, 371, 389,  
443, 467, 561, 739. Light traps: 351,  
366, 384, 404, 422, 482, 501, 537, 666,  
715, 735, 745, 758  
*Euxoa detersa* (a noctuid moth)  
147  
*Euxoa messoria* (darksided cutworm)  
147  
*Euxoa ochrogaster* (redbacked cutworm)  
10, 175, 376, 412, 491  
*Euxoa scandens* (white cutworm)  
395  
*Euzophera semifuneralis* (American plum  
borer) 216  
*Evergestis pallidata* (purplebacked  
cabbageworm) 638  
*Evergestis rimosalis* (cross-striped  
cabbageworm) 202  
*Exenterus canadensis* (an ichneumon wasp)  
432, 437  
*Exorista* spp. (tachina flies)  
458  
*Exorista rossica*  
118, 458  
*Exorista segregata*  
118  
*Exoteleia pinifoliella* (pine needleminer)  
279  
*Exuviaspis enceliae* (an armored scale)  
293, 299  
Eyespotted bud moth  
(*Spilonota ocellana*)

F

Face fly  
(*Musca autumnalis*)  
Fall armyworm  
(*Spodoptera frugiperda*)  
Fall cankerworm  
(*Alsophila pometaria*)  
Fall webworm  
(*Hyphantria cunea*)  
False celery leaftier  
(*Udea profundalis*)  
False chinch bug  
(*Nysius ericae*)  
*Faronta diffusa* (wheat head armyworm)  
Light traps: 384, 404, 422, 440, 461,  
482, 501, 518, 537, 556, 573, 595, 609,  
626, 637, 666, 676, 689, 701, 715, 726,  
745  
*Feltia ducens* (a noctuid moth)  
631  
*Feltia subguthica* (dingy cutworm)  
147, 427, 657  
*Feltia subterranea* (granulate cutworm)  
147, 178, 182, 200, 309, 411, 431, 586,  
587. Light traps: 5, 26, 33, 60, 70,  
85, 99, 128, 164, 192, 213, 237, 266,  
298, 315, 329, 351, 366, 384, 404, 422,  
440, 461, 482, 501, 518, 537, 556, 573,  
595, 609, 626, 637, 666, 676, 689, 701,  
715, 726, 735, 745, 758, 783  
*Fenusa pusilla* (birch leafminer)  
361  
*Ferrisia virgata* (striped mealybug)  
83, 85  
*Fieberiella florii* (a leafhopper)  
263  
Fiery hunter  
(*Calosoma calidum*)  
Filbert aphid  
(*Myzocallis coryli*)  
Filbertworm  
(*Melissocopus latiferraneanus*)  
*Fiorinia floriniae* (an armored scale)  
83, 85  
*Fiorinia theae* (tea scale)  
270  
Fir engraver  
(*Scolytus ventralis*)  
Fire ant  
(*Solenopsis geminata*)  
Firebrat  
(*Thermobia domestica*)  
Flat grain beetle  
(*Cryptolestes pusillus*)  
Fletcher scale  
(*Lecanium fletcheri*)  
Florida red scale  
(*Chrysomphalus aonidum*)  
Flower thrips  
(*Frankliniella tritici*)  
*Forcipomyia indecora* (a ceratopogonid  
midge) 19  
Forest tent caterpillar  
(*Malacosoma disstria*)  
*Forficula auricularia* (European earwig)  
86, 251, 271, 431, 585, 731  
*Formica obscuripes ravidia* (an ant)  
10  
*Formica perpilosa*  
10  
*Formica pruinosa*  
10  
*Formica subnitens*  
10  
*Formicomus imperator* (an anthicid beetle)  
6, 105  
Formosan subterranean termite  
(*Coptotermes formosanus*)

Fourspotted spider mite  
(*Tetranychus canadensis*)  
Foxglove aphid  
(*Acyrtosiphon solani*)  
*Frankliniella* spp. (thrips)  
178, 182, 412, 525  
*Frankliniella bispinosa*  
232, 271  
*Frankliniella fusca* (tobacco thrips)  
178, 182, 412, 471  
*Frankliniella occidentalis* (western  
flower thrips) 24, 101, 102, 109,  
110, 176, 184, 200, 228, 233, 271,  
322, 342, 344, 375, 531  
*Frankliniella tritici* (flower thrips)  
182  
Frit fly  
(*Oscinella frit*)  
Fruittree leafroller  
(*Archips argyrospilus*)  
Fuller rose weevil  
(*Pantomorus cervinus*)  
Fungus gnats  
295

G

*Galba viridis* (liverfluke snail)  
105  
*Galleria mellonella* (greater wax moth)  
663  
Garden fleahopper  
(*Halticus bractatus*)  
Garden symphylan  
(*Scutigereilla immaculata*)  
Garden webworm  
(*Loxostege ratalis*)  
*Gargaphia arizonica* (a tingid bug)  
10  
*Gargara genitosa* (a treehopper)  
616, 620  
*Gasterophilus* spp.  
244  
*Gasterophilus intestinalis* (horse bot  
fly) 245, 535, 723  
*Gastropacha quercifolia* (lappet moth)  
463-464  
*Geocoris* spp. (big-eyed bugs)  
256, 624  
*Geocoris bullatus*  
624  
*Geocoris pallens*  
624  
*Geocoris punctipes*  
256, 297  
Geometrid moths  
346  
German cockroach  
(*Blattella germanica*)  
Giant African snail  
(*Achatina fulica*)  
Giant hornet  
(*Vespa crabro germana*)  
*Gillettea taraxaci* (a cynipid wasp)  
105  
Gladiolus thrips  
(*Taeniothrips simplex*)  
*Glischrochilus* sp. (a sap beetle)  
152  
Glover scale  
(*Lepidosaphes gloverii*)  
Golden buprestid  
(*Buprestis aurulenta*)  
Golden nematode  
(*Heterodera rostochiensis*)  
Golden tortoise beetle  
(*Metriona bicolor*)  
*Gonaxis quadrilateralis* (a carnivorous  
snail) 383, 608

Gossyparia spuria (European elm scale)  
235, 286, 346

Gracillaria azaleella (azalea leafminer)  
753

Gracillaria vacciniella (a leafblotch  
miner) 226

Granulate cutworm  
(Feltia subterranea)

Grape berry moth  
(Paralobesia viteana)

Grape flea beetle  
(Altica chalybea)

Grape leafroller  
(Desmia funeralis)

Grape phylloxera  
(Phylloxera vitifoliae)

Grape root borer  
(Vitacea polistiformis)

Graphognathus spp. (whitefringed beetles)  
122, 213, 265, 313, 327, 349, 365, 382,  
401, 420, 459, 499, 593, 607, 608, 618,  
625, 664, 687

Graphognathus leucoloma fecundus  
607, 608, 743

Graphognathus leucoloma striatus  
45, 46, 607, 608, 664, 713, 714

Graphognathus peregrinus  
637, 608

Grapholitha molesta (oriental fruit moth)  
217, 218, 323, 344, 359, 377, 414, 433,  
452, 474, 549, 683, 688, 741

Grapholitha packardii (cherry fruitworm)  
226

Grapholitha prunivora (lesser appleworm)  
217

Grass bugs  
116, 327, 348, 401, 419, 438, 479, 553,  
633

Grasshoppers  
18, 25, 116, 298, 348, 364, 382, 401,  
420, 438, 448, 458, 479, 489, 497, 510,  
516, 525, 534, 545, 553, 570, 592, 602,  
606, 635, 663, 674, 686, 699, 709, 712

Grass thrips  
(Anaphothrips obscurus)

Grass webworm  
(Herpetogramma licarsisalis)

Great Basin wireworm  
(Ctenicera pruinina)

Greater wax moth  
(Galleria mellonella)

Greedy scale  
(Hemiberlesia rapax)

Greenbug  
(Schizaphis graminum)

Green cloverworm  
(Plathypena scabra)

Green fruitworm  
(Lithophane antennata)

Greenhouse whitefly  
(Trialeurodes vaporariorum)

Green June beetle  
(Cotinis nitida)

Green peach aphid  
(Myzus persicae)

Green scale  
(Coccus viridis)

Green shield scale  
(Pulvinaria psidii)

Green stink bug  
(Acrosternum hilare)

Gretchena bolliana (pecan bud moth)  
377

Ground beetles  
372

Gulf Coast tick  
(Amblyomma maculatum)

Gymnocarena diffusa (a tephritid fly)  
619

Cynaikothrips ficorum (Cuban laurel thrips)  
103, 193, 211, 421, 517, 756

Cypsy moth  
(Porthetria dispar)

## H

Haematobia irritans (horn fly)  
26, 83, 127, 190, 212, 235, 239, 264,  
296, 312, 326, 346, 362, 380, 399, 417,  
436, 456, 476, 496, 515, 533, 552, 555,  
570, 591, 606, 623, 634, 662, 685, 698,  
711, 723, 742, 754

Haematoecha rubescens (a reduviid bug)  
574

Haema-opinus spp.  
83, 99, 191, 780

Haematopinus eurysternus (shortnosed  
cattle louse) 4, 18, 26, 58, 69, 99,  
111, 127, 163, 191, 212, 236, 239, 246,  
780

Haematopinus quadripartus (cattle tail  
louse) 249

Haematopinus suis (hog louse)  
33, 45, 69, 99, 111, 191, 246, 754

Hairy chinch bug  
(Blissus leucopterus hirtus)

Helictus rubicundus (a sweat bee)  
312

Helisidota argentata (silverspotted tiger  
moth) 311

Helisidota tessellaris (pale tussock moth)  
281

Hall scale  
(Nilotaspis halli)

Halticoptera patellana (a pteromalid  
wasp) 101, 734, 756

Halticus bractatus (garden flea hopper)  
175

Harlequin bug  
(Murgantia histrionica)

Harrisina brillians (western grapeleaf  
skeletonizer) 121, 226, 295, 345, 401,  
415, 434, 453, 475, 480, 531, 550, 571,  
572, 624, 662, 674, 683, 710, 713, 724

Hawaiian beet webworm  
(Hymenia recurvalis)

Hawaiian thrips  
(Taeniothrips hawaiiensis)

Hawthorn lace bug  
(Corythucha cydoniae)

Hedylepta accepta (sugarcane leafroller)  
299

Hedylepta blackburni (coconut leafroller)  
102, 129, 237, 365, 572, 608, 725

Heliothis spp.  
71-76, 141, 180, 342, 358, 375, 394,  
412, 430, 449, 471-472, 490, 511, 526,  
546, 547, 566, 587, 603, 617, 631, 659,  
671, 682, 695, 708, 721

Heliothis stombleri (Stomblor moth)  
10

Heliothis virescens (tobacco budworm)  
63, 130, 141, 180-181, 254, 256, 309,  
319, 323, 342, 343, 358, 372, 375, 394,  
408, 412, 426, 430, 444, 449, 468, 471-  
472, 486, 490, 496, 497, 506, 511, 522,  
526, 542, 566, 582, 587, 603, 614, 618,  
632, 659, 682, 695, 696, 708, 721.

Light traps: 237, 298, 366, 384, 404,  
440, 461, 482, 501, 518, 537, 556, 573,  
595, 609, 626, 637, 666, 676, 689, 701,  
715, 726, 735, 745, 758

Heliothis zea (bollworm, corn earworm,  
tomato fruitworm) 31, 32, 68, 71-76,  
101, 130, 133-135, 141, 146, 147, 152,  
179, 180-181, 187, 194, 195, 200, 254,  
255, 256, 266, 291, 339, 342, 355, 358,  
375, 389, 394, 407, 412, 425, 430, 443,  
449, 467, 471-472, 485, 490, 505, 511,  
521, 526, 541, 547, 561, 566, 581, 587,  
599, 602, 603, 613, 617, 618, 629, 630,  
631, 632, 655, 659, 660, 665, 669, 670,  
671, 672, 679, 682, 693, 695, 696, 700,  
705, 708, 714, 719, 721, 729, 731, 739,

744, 751, 756, 782. Light traps: 164,  
192, 213, 237, 266, 298, 315, 329, 351,  
366, 384, 404, 422, 440, 461, 482, 501,  
518, 537, 556, 573, 595, 609, 626, 637,  
666, 676, 689, 701, 715, 726, 735, 745,  
758, 783

Helix aspersa (brown garden snail)  
271

Hellula rogatalis (cabbage webworm)  
27, 100, 101, 202, 625

Hemerocampa leucostigma (whitemarked  
tussock moth) 284

Hemerocampa pseudotsugata (Douglas fir  
tussock moth) 272, 568, 622, 673

Hemerocampa vetusta (western tussock moth)  
157

Hemiberlesia lataniae (an armored scale)  
779

Hemiberlesia quercicola  
25, 26

Hemiberlesia rapax (greedy scale)  
397

Hemileuca maia (buck moth)  
585

Hemileuca nevadensis (a saturniid moth)  
24

Hemileuca oliviae (range caterpillar)  
121, 298, 535, 593, 674, 686

Hemileuca tricolor  
750

Hemispherical scale  
(Saissetia coffeae)

Herculia intermedia (a pyralid moth)  
10

Hermetia illucens (a soldier fly)  
245

Herpetogramma licarsisalis (grass webworm)  
19, 46, 101, 266, 350, 421, 460, 555,  
636, 675, 714, 734, 756

Hesperophanes pubescens (a longhorned  
beetle) 567

Hesperotettix spp. (grasshoppers)  
479

Hesperotettix speciosus  
516, 663

Hessian fly  
(Mayetiola destructor)

Heterobostrychia aequalis (oriental wood  
borer) 364

Heterocampa guttivitta (saddled prominent)  
275, 281, 454, 514, 605, 662

Heterocampa manteo (variable oakleaf  
caterpillar) 273, 275, 281, 590, 605,  
622, 634, 673, 698, 710, 722, 732

Heterococcus pulverarius (a weevil bug)  
308

Heterodera glycines (soybean cyst  
nematode) 121, 432, 438, 480, 535, 548,  
555, 607, 608, 654, 781

Heterodera lespedezae  
10, 32, 33

Heterodera rostochiensis (golden nematode)  
33, 116, 513

Heterotermes aureus (a subterranean  
termite) 297

Hexacola hexatoma (a pteromalid wasp)  
400, 402

Hexameris arvalis (a parasitic nematode)  
166

Hibiscus caterpillar  
(Anomis flava)

Hickory horned devil  
(Citheronia regalis)

Hickory shuckworm  
(Laspeyresia carvana)

Hippelates pusio (a chloropid fly)  
245

Hippodamia spp. (lady beetles)  
393

Hippodamia convergens (convergent lady  
beetle) 45, 164, 182, 191, 205, 213,  
236, 252, 255, 265, 297, 313, 326, 347,  
363, 381, 399, 418, 457, 463, 478, 515,

553, 592, 699, 707, 711  
Hippodamia parenthesis  
 255  
Hippodamia tredecimpunctata  
 255, 515  
Hippodamia tredecimpunctata tibialis  
 (thirteenspotted lady beetle) 255  
Hister nomas (a histerid beetle)  
 191  
 Hog louse  
 (Haematopinus suis)  
Holcencyrtus physokermis (an encyrtid  
 wasp) 10, 254, 476, 496, 500  
 Hollyhock weevil  
 (Apion longirostre)  
Homadula anisocentra (mimosa webworm)  
 267, 269, 283, 454, 620, 622, 684,  
 688, 711  
Homaiedra sabalella (palm leaf  
 skeletonizer) 269, 779, 781  
Homalopoda cristata (an encyrtid wasp)  
 10, 104  
Homocoesoma electellum (sunflower moth)  
 184, 472, 512, 604  
 Honey bee  
 (Apis mellifera)  
 Hop aphid  
 (Phorodon humuli)  
Hoplocampa testudinea (European apple  
 sawfly) 396, 414, 433  
Horistonotus uhlerii (sand wireworm)  
 152  
 Horn fly  
 (Haematobia irritans)  
Hornia minutipennis (a blister beetle)  
 418  
Horogenes punctorius (an ichneumon wasp)  
 254  
 Horse biting louse  
 (Bovicola equi)  
 Horse bot fly  
 (Gasterophilus intestinalis)  
 House fly  
 (Musca domestica)  
Hulstia undulata (sugarbeet crown  
 borer) 343, 394  
Humococcus caritus (a mealybug)  
 409  
 Humped oakworm  
 (Symmerista canicosta)  
Hyadaphis pseudobrassicae (turnip aphid)  
 32, 202, 709  
Hyalopterus pruni (mealy plum aphid)  
 220, 233  
Hybomitra lasiophthalma (a tabanid fly)  
 297, 456  
Hybomitra sonomensis  
 533  
Hydria undulata (a geometrid moth)\*  
 569  
Hylemya antiqua (onion maggot)  
 205  
Hylemya brassicae (cabbage maggot)  
 202, 376, 413, 451  
Hylemya cerealis (an anthomyiid fly)  
 154, 155  
Hylemya platura (seedcorn maggot)  
 204, 320, 340, 356, 376, 427, 448, 470,  
 508  
Hylephila phylaeus (a skipper)  
 10, 70, 85, 101, 299, 314, 350, 403,  
 517, 572  
Hylobius pales (pales weevil)  
 10, 276, 722  
Hylobius radialis (pine root collar  
 weevil) 276, 514  
Hylotrupes baajulus (oldhouse borer)  
 26, 212, 250, 591, 594, 746  
Hylurgopinus rufipes (native elm bark  
 beetle) 285, 346, 361, 365, 722  
Hymenia recurvalis (Hawaiian beet  
 webworm) 214  
Hypera strigata (lantana defoliator  
 caterpillar) 19, 100, 105, 129, 214  
Hypera spp. (weevils)  
 261, 309, 321

\* Carried as Calocalpe undulata

Hypera brunneipennis (Egyptian alfalfa  
 weevil) 3, 23, 67, 109, 171, 210, 232,  
 261, 309, 341, 374, 778  
Hypera meles (clover head weevil)  
 10, 171  
Hypera nigrirostris (lesser clover leaf  
 weevil) 10, 171, 294, 489  
Hypera postica (alfalfa weevil)  
 10, 31, 43, 57, 67, 70, 81, 97, 109,  
 125, 128, 161, 164, 165, 166-171, 188,  
 192, 209, 232, 236, 253, 254, 260, 261,  
 265, 293, 299, 308-309, 314, 320, 321,  
 327, 340, 341, 349, 356, 357, 363, 365,  
 373-374, 385, 391-393, 400, 402, 410,  
 418, 421, 428-429, 432, 437, 446-447,  
 448, 457, 460, 470, 478, 481, 489, 496,  
 499, 509, 512, 524, 534, 545, 565, 567,  
 585, 617, 631, 658, 664, 671, 694, 707,  
 720, 740, 743, 750, 778  
Hypera punctata (clover leaf weevil)  
 32, 67, 162, 171, 188, 210, 233, 261,  
 294, 341, 357, 740  
Hyphantria cunea (fall webworm)  
 190, 215, 222, 275, 282, 435, 453, 475,  
 492, 513, 529, 531, 551, 568, 621, 662,  
 683, 684, 697, 698, 710, 721, 722, 732  
Hypoderma spp. (cattle grubs)  
 45, 58, 68, 69, 83, 99, 163, 235, 244,  
 264, 296, 380, 436, 495  
Hypoderma bovis (northern cattle grub)  
 68, 163, 244, 347, 436, 455, 742, 743  
Hypoderma lineatum (common cattle grub)  
 4, 18, 26, 33, 45, 58, 68, 83, 111, 127,  
 163, 190, 212, 235, 244, 264, 296, 326,  
 362, 436, 780  
Hyposoter fugitivus (an ichneumon wasp)  
 699  
Hysteroneura setariae (rusty plum aphid)  
 220, 707

Icerya purchasi (cottonyushion scale)  
 4, 105, 234, 295, 434, 590, 594, 697,  
 752, 778  
Ichthyura inclusa (poplar tentmaker)  
 211, 742  
Idona minuenda (a leafhopper)  
 11, 226  
 Imported cabbageworm  
 (Pieris rapae)  
 Imported currantworm  
 (Nematus ribesii)  
 Imported fire ant  
 (Solenopsis saevissima richteri)  
Incisitermes minor (western drywood  
 termite) 250  
 Indian meal moth  
 (Plodia interpunctella)  
 Introduced pine sawfly  
 (Diprion similis)  
Ips spp. (bark beetles)  
 25, 273, 276  
Ips grandicollis  
 698  
Ips pini (pine engraver)  
 684  
Irbisia spp. (grass bugs)  
 327, 401, 419, 438, 497, 553  
Irbisia brachycera  
 401  
Irbisia pacifica  
 116, 327, 348, 401, 419, 457, 458, 479,  
 497, 516  
Iridomyrmex humilis (Argentine ant)  
 250  
 Iris borer  
 (Macronoctua onusta)  
 Italian pear scale  
 (Epidiopsis leperii)  
Ithome concolorella (a cosmopterigid moth)  
 105, 439

Itopectis conquisitor (an ichneumon  
 wasp) 400  
 Ivy aphid  
 (Aphis hederiae)  
Ixodes pacificus (a hardbacked tick)  
 111, 347  
Ixodes scapularis (blacklegged tick)  
 249

Jack pine budworm  
 (Choristoneura pinus)  
 Jack pine sawfly  
 (Neodiprion pratti banksianae)  
Jadera haematoloma (a rhopalid bug)  
 105  
 Japanese beetle  
 (Popillia japonica)  
 Juniper scale  
 (Carulaspis juniperi)  
 Juniper webworm  
 (Dichomeris marginella)

K

Kaloterms approximatus (a drywood  
 termite) 685  
Keiferia lycopersicella (tomato pinworm)  
 43, 70, 101, 196, 343, 450, 588, 604,  
 756  
 Keys striped scorpion  
 (Centruroides keysi)  
 Knappa beetle  
 (Trogoderma granarium)  
 Kiawe flower looper  
 (Cosymbia serrulata)  
Kimminsia schwarzi (a brown lacewing)  
 754, 757  
 Koa haole looper  
 (Anacamptodes fragilaria)  
 Kou leafworm  
 (Ethmia colonella)

L

Labidura riparia (an earwig)  
 5, 251, 548, 550  
Labops spp. (grass bugs)  
 116, 401, 419, 438, 479, 497  
Labops hesperius  
 116, 327, 348, 364, 382, 401, 419, 457,  
 497  
Labops utahensis  
 553  
 Lacewings  
 553  
Lechnus salignus (an aphid)  
 103  
Lacinipolia renigera (bristly cutworm)  
 395  
Lacinipolia vicina (a noctuid moth)  
 201  
 Lady beetles  
 313, 347, 381, 399, 418, 437, 456, 478,  
 496, 515, 553, 592, 686, 711  
Lambdina athasaria athasaria (a geometrid  
 moth) 710  
Lambdina pellucidaria (a geometrid moth)  
 385  
Lamenia caliginea (a fulgorid plant-  
 hopper) 383, 385  
Lampides boeticus (bean butterfly)  
 460  
Languria mozardi (clover stem borer)  
 188  
 Lantana defoliator caterpillar  
 (Hypera strigata)

- Lantana gall fly  
(*Eutreta xanthochaeta*)
- Lantana hispid  
(*Uroplata girardi*)
- Lantana lace bug  
(*Teleonemia scrupulosa*)
- Lantana leaf beetle  
(*Octotoma scabripennis*)
- Lappet moth  
(*Gastropacha quercifolia*)
- Larch casebearer  
(*Coleophora laricella*)
- Larch sawfly  
(*Pristiphora erichsonii*)
- Larder beetle  
(*Dermestes lardarius*)
- Lerdoglyphus konoi (an acarid mite)  
6, 104
- Large aspen tortrix  
(*Choristoneura conflictana*)
- Large mango tip borer  
(*Bombotelia jocosatrix*)
- Large turkey louse  
(*Cheilopistes meleagridis*)
- Larger canna leafroller  
(*Calpodes ethlius*)
- Larger yellow ant  
(*Acanthomyops interjectus*)
- Largus cinctus californicus (a largid bug)  
228
- Lasioderma serricornis (cigarette beetle)  
252, 312, 314
- Laspeyresia caryana (hickory shuckworm)  
215, 222, 377, 752
- Laspeyresia pomonella (codling moth)  
216, 222, 310, 323, 344, 359, 396, 414, 433, 452, 474, 492, 529, 549, 568, 589, 605, 621, 661, 683, 696, 712, 731, 752
- Latheticus oryzae (longheaded flour beetle)  
11
- Latreductus hesperus (a combfooted spider)  
249, 733
- Latreductus variolus  
515
- Leafhoppers  
263, 374
- Leafminer flies  
470, 631, 661
- Lecanium corni (European fruit lecanium)  
68, 453
- Lecanium fletcheri (Fletcher scale)  
270
- Lecanium nigrofasciatum (terrarin scale)  
286
- Lecanodiaspis proscipidis  
(a lecanodiaspidid scale)  
732
- Leek moth  
(*Acrolepia assectella*)
- Lema trilineata (three-lined potato beetle)  
237, 266
- Lemophagus curtus (an ichneumon wasp)  
400
- Lepidosaphes beckii (purple scale)  
24, 44, 82, 98, 162, 189, 262, 311, 360, 378, 434, 453, 530, 550, 589, 621, 661, 721, 731, 741
- Lepidosaphes camelliae (camellia scale)  
270
- Lepidosaphes gloverii (Glover scale)  
24, 44, 82, 98, 162, 189, 225, 311, 360, 378, 434, 453, 530, 550, 589, 621, 661, 721, 731, 741
- Lepidosaphes pini (an armored scale)  
68, 70, 112
- Lepidosaphes ulmi (oystershell scale)  
262, 269, 287, 398, 414, 452
- Lepidosaphes yanagicola  
11
- Leptinotarsa decemlineata (Colorado potato beetle)  
194-195, 359, 376, 395, 412, 431, 450, 472, 491, 512, 527, 547, 567, 620
- Leptobyrsa decora (a tingid bug)  
383, 536
- Leptoconops kerteszi (a biting midge)  
245, 362
- Leptocoris trivittatus (boxelder bug)  
127, 251
- Leptopterna dolabrata (meadow plant bug)  
409, 428, 432, 446, 460
- Leptopterna ferrugata  
497
- Lesser appleworm  
(*Grapholitha prunivora*)
- Lesser bulb fly  
(*Eumerus tuberculatus*)
- Lesser clover leaf weevil  
(*Hypera nigrostris*)
- Lesser cornstalk borer  
(*Elasmopalpus lignosellus*)
- Lesser grain borer  
(*Rhyzopertha dominica*)
- Lesser peachtree borer  
(*Synanthedon pictipes*)
- Leucopis ocellaris (a chamaemyiid fly)  
481
- Light brown apple moth  
(*Epiphyas postvittana*)
- Lilac borer  
(*Podossesia syringae syringae*)
- Limabean vine borer  
(*Monoplotota pergratialis*)
- Limax flavus (tawny garden slug)  
11
- Limax maximus (spotted garden slug)  
439, 481
- Limonium sp.  
427
- Limonium californicus (sugarbeet wireworm)  
151, 155, 192, 227, 323, 450
- Limonium infuscatum (western field wireworm)  
155, 372
- Limothrips denticornis (barley thrips)  
153, 155, 391, 585
- Linden looper  
(*Erannis tiliaria*)
- Lindorus lophanthae (a lady beetle)  
85, 103, 193, 365, 594
- Linognathus vituli (longnosed cattle louse)  
69, 111, 127, 212, 246
- Liogenys macropelma (a scarab)  
385
- Liometopum occidentale (a carpenter ant)  
250
- Liosomaphis berberidis (an aphid)  
11
- Lipoptena mazamae (a louse fly)  
417
- Liriomyza spp. (leaf miner flies)  
27, 34, 85, 101, 129, 193, 237, 314, 350, 439, 517, 625, 675, 700, 709, 744
- Liriomyza munda (vegetable leafminer)  
198
- Liris laboriosa (a sphecid wasp)  
6, 101
- Lissorhoptrus oryzophilus (rice water weevil)  
151
- Listroderes costirostris obliquus (vegetable weevil)  
82, 158, 343, 349
- Listronotus oregonensis (carrot weevil)  
204
- Litchi fruit moth  
(*Cryptophlebia ombrodelta*)
- Lithocolletis caryae-foliella (a leafblotch miner)  
661
- Lithocolletis tremuloidiella (aspen blotchminer)  
494
- Lithophane antennata (green fruitworm)  
216, 295
- Lithophane laticinerea (a noctuid moth)  
216
- Lithophane unimoda  
216
- Little black ant  
(*Monomorium minimum*)
- Little carpenterworm  
(*Prionoxystus robiniae*)
- Liverfluke snail  
(*Galba viridis*)
- Locust borer  
(*Megacyllene robiniae*)
- Locust leafminer  
(*Xenochalepus dorsalis*)
- Lodgepole needleminer  
(*Coleotechnites milleri*)
- Lonchaea polita (a lonchaeid fly)  
11
- Lonchaea striatifrons  
11
- Lone star tick  
(*Amblyomma americanum*)
- Longheaded flour beetle  
(*Latheticus oryzae*)
- Longitarsus jacobaeae (a flea beetle)  
733
- Longitarsus waterhousei  
184, 527
- Longnosed cattle louse  
(*Linognathus vituli*)
- Longtailed mealybug  
(*Pseudococcus longispinus*)
- Lopholeucaspis japonica (an armored scale)  
110, 112, 532, 535
- Loxagrotis albicosta (western bean cutworm)  
128, 147, 198, 199, 527, 543, 564, 584, 601, 608, 615, 620, 630, 657, 664, 670, 693
- Loxosceles reclusa (brown recluse spider)  
11, 18, 58, 83, 212, 248, 249, 381, 385, 399, 402, 496, 500, 570, 634, 780, 781
- Loxosceles rufescens (a scytodid spider)  
11, 249
- Loxostege spp. (webworms)  
175, 177, 547
- Loxostege commixtalis (alfalfa webworm)  
Light traps: 384, 556, 573, 595, 609, 637
- Loxostege rantalis (garden webworm)  
587
- Loxostege sticticalis (beet webworm)  
183, 204, 412, 430, 450, 472, 491, 512, Light traps: 461, 482, 501, 518, 537, 556, 573, 595, 609, 626, 637, 676, 715
- Lyctus africanus (a powderpost beetle)  
686
- Lyctus planicollis (southern lyctus beetle)  
69, 127
- Lygus spp.  
109, 173, 181, 206, 210, 233, 322, 342, 358, 375, 393, 409, 411, 429, 431, 448, 489, 509, 511, 525, 545, 548, 586, 602, 603, 617, 681, 707, 751, 778
- Lygus elisus  
173, 509, 545, 586
- Lygus hesperus  
173, 262, 509, 545, 586, 602, 631
- Lygus lineolaris (tarnished plant bug)  
173, 181, 184, 188, 198, 220, 228, 294, 309, 310, 342, 344, 375, 377, 411, 448, 449, 470, 509, 511, 525, 526, 529, 545, 586, 695
- Lysiphlebus testaceipes (a braconid)\*  
26, 34, 59, 137, 138, 164, 191, 213, 236, 254, 264, 468, 592, 623, 707, 744

\* Carried in error as *Lyoiphlebus testaceipes* in Vol. 21.



**M**

- Macrocentrus spp. (braconids)  
145
- Macrocentrus gifuensis  
254
- Macrocentrus grandii  
254
- Macroductylus subspinosus (rose chafer)  
269, 363
- Macronoctua onusta (iris borer)  
11, 267, 313, 697
- Macrosiphum avenae (English grain aphid) 17, 43, 57, 67, 136, 154, 232, 293, 308, 320, 356, 372, 391, 409, 488, 565, 585
- Macrosiphum creelii  
357
- Macrosiphum euphorbiae (potato aphid)  
152, 184, 197, 343, 356, 431, 450, 473, 491, 725
- Macrosiphum rosae (rose aphid)  
345
- Macrosteles fascifrons (aster leafhopper)  
23, 132, 231, 259, 291, 307, 319, 371, 389, 407, 425, 443, 467, 485, 521, 561, 655, 739
- Magdicada spp.  
286
- Magdicada cassini  
220
- Magdicada septendecim (periodical cicada)  
220, 275, 286
- Magdicada septendecula  
11, 220, 286
- Maize billbug  
(Sphenophorus maidis)
- Malacosoma americanum (eastern tent caterpillar) 98, 126, 190, 210, 215, 234, 262, 263, 282, 296, 311, 325, 344, 346, 361, 379, 722
- Malacosoma californicum (western tent caterpillar) 379, 446, 531
- Malacosoma californicum fragile  
157, 163, 312, 325, 373, 436
- Malacosoma californicum pluviale  
323
- Malacosoma constrictum (Pacific tent caterpillar) 590
- Malacosoma distria (forest tent caterpillar) 110, 263, 273, 275, 281, 282, 296, 325, 361, 379, 398, 400, 416, 432, 436, 494, 514, 722
- Malacosoma incurvum discoloratum  
282, 312, 325
- Maladera castanea (Asiatic garden beetle)  
157
- Manduca spp.  
141, 444, 468, 506, 522, 542, 582, 599, 614, 629, 655
- Manduca quinquemaculata (tomato hornworm)  
141, 444, 486, 506, 522, 542, 562, 599, 600, 614. Light traps: 329, 422, 440, 461, 482, 501, 518, 537, 556, 573, 595, 609, 626, 637, 666, 676, 689, 701, 715, 726
- Manduca sexta (tobacco hornworm)  
31, 130, 141-142, 372, 426, 468, 486, 506, 522, 542, 562, 582, 599, 629, 679. Light traps: 404, 422, 440, 461, 482, 501, 518, 537, 556, 573, 595, 609, 626, 637, 666, 676, 689, 701, 715, 726, 735, 745
- Mango flower beetle  
(Protaetia fusca)
- Mantis religiosa (European mantid)  
570
- Maple bladdergall mite  
(Vasates quadripedes)
- Maple petiole borer  
(Caulocampus acericaulis)
- Maple trumpet skeletonizer  
(Epinotia aceriella)
- Marsmia trapezalis (a pyralid moth)  
157
- Margined blister beetle  
(Epicauta pestifera)
- Marginitermes hubbardi (a drywood termite) 264
- Matsucoccus acalyptus (a margarodid scale) 397
- Mayetiola destructor (Hessian fly)  
109, 155, 232, 391, 446, 470, 564, 670, 694, 739, 750
- Mayetiola rigidae (willowbeaked gall midge) 263
- McDaniel spider mite  
(Tetranychus mcdanieli)
- Meadow plant bug  
(Leptopterna dolabrata)
- Meadow spittlebug  
(Philaenus spumarius)
- Mealybugs  
98, 311, 360, 378, 434, 453, 530, 550, 590
- Mealy plum aphid  
(Hyalopterus pruni)
- Mecinus pyraeater (a weevil)  
524, 535
- Mediterranean flour moth  
(Anagasta kuehniella)
- Mediterranean fruit fly  
(Ceratitis capitata)
- Megabombus auricomus (a bumblebee)  
534, 553
- Megabombus pennsylvanicus  
534, 553
- Megachile concinna  
11, 348, 349
- Megachile rotundata (alfalfa leafcutter bee) 253, 348, 363, 400, 478
- Megacyllene robiniae (locust borer)  
285
- Megalopyge opercularis (puss caterpillar)  
247
- Megaselia rufipes (a humpbacked fly)  
11, 105
- Megastigmus pistaciae (pistachio seed chalcid) 121
- Melanagromyza phaseoli (bean fly)  
19, 27, 59, 70, 85, 101, 105, 112, 129, 439, 608, 675, 687, 734, 756
- Melanaspis aliene (an armored scale)  
11, 102
- Melanaspis obscura (obscur scale)  
99, 128, 192, 287
- Melanoides sp. (a freshwater snail)  
780
- Melanoplus spp.  
178, 448, 479, 489, 509, 516, 545, 571, 592, 602, 722, 740
- Melanoplus bivittatus (two-striped grasshopper) 117, 118, 298, 348, 349, 364, 382, 401, 438, 458, 479, 480, 489, 497, 498, 516, 525, 534, 554, 571, 592, 593, 606, 635, 663, 699, 712
- Melanoplus coloradus  
712
- Melanoplus confusus  
420, 458
- Melanoplus differentialis (differential grasshopper) 118, 158, 348, 364, 382, 438, 458, 479, 480, 497, 534, 545, 554, 592, 602, 606, 619, 663, 699, 712, 740
- Melanoplus femurrubrum (redlegged grasshopper) 117, 118, 158, 175, 348, 382, 420, 458, 479, 480, 497, 510, 525, 534, 545, 553, 554, 571, 592, 602, 606, 635, 663, 699, 712, 740
- Melanoplus infantilis  
674
- Melanoplus lakinus  
117
- Melanoplus occidentalis  
438, 663
- Melanoplus packardii (Packard grasshopper)  
117, 382, 480, 553, 554, 663
- Melanoplus rugglesi (Nevada sage grasshopper) 117
- Melanoplus sanguinipes (migratory grasshopper) 117, 118, 298, 348, 349, 364, 382, 401, 420, 480, 489, 498, 516, 534, 553, 554, 570, 571, 592, 606, 635, 663, 686, 712
- Melanotus sp. (a wireworm)  
151
- Melanotus communis  
151, 152, 340, 427
- Melastoma borer  
(Selca brunella)
- Meligethes nigrescens (a sap beetle)  
171
- Melipotis indomita (a noctuid moth)  
26, 27, 101, 103, 112, 328, 383, 403, 439, 499, 531, 555, 625, 636, 725, 756, 782
- Melissopus latiferreanus (filbertworm)  
217, 530
- Melittia cucurbitae (squash vine borer)  
203
- Melonworm  
(Diaphania hyalinata)
- Melophagus ovinus (sheep ked)  
212, 236, 245, 362, 417
- Melormenis antillarum (a flatid bug)  
6, 102, 129
- Merchant grain beetle  
(Oryzaephilus mercator)
- Mermiria sp. (a grasshopper)  
516
- Meromyza americana (wheat stem maggot)  
152, 446
- Metaphycus portoricensis  
See Aphyacus portoricensis
- Metaseiulus occidentalis (a phytoseiid mite) 222, 324, 327, 348, 381, 419, 457, 478, 570
- Metator pardalinus (a grasshopper)  
663
- Meteorus sp. (a braconid)  
254
- Meteorus laphygmae  
782
- Metoponium spp. (darkling beetles)  
195
- Metriona bicolor (golden tortoise beetle)  
204
- Mexican bean beetle  
(Epilachna varivestis)
- Mexican fruit fly  
(Anastrepha ludens)
- Microctonus sp. (a braconid)  
340
- Microctonus aethiops  
11, 128, 166, 254, 348, 400, 478, 743
- Microctonus colesi  
164, 165, 166, 254
- Microctonus larevni (a puncturevine seed weevil) 5, 252, 255, 347, 712, 714
- Microctonus lypriformis (a puncturevine stem weevil) 105, 165, 383, 439, 460, 625, 687, 782
- Migratory grasshopper  
(Melanoplus sanguinipes)
- Millipeds  
251
- Mimosa webworm  
(Homadaula anisocentra)
- Mindarus abietinus (balsam twig aphid)  
311, 416
- Mirificarma formosella (European clover leaf-tier) 157, 428, 432

Mocis spp. (grassworms)  
157, 730  
Mocis latipes  
157, 730  
Monarch butterfly  
(Danaus plexippus)  
Monarthropalpus buxi (boxwood leafminer)  
211, 271  
Monellia spp.  
697  
Monellia costalis (blackmargined aphid)  
215, 223, 530, 621, 661, 710  
Monelliopsis californica  
223  
Monelliopsis caryae (an aphid)  
223  
Monelliopsis nigropunctata  
223  
Monelliopsis tuberculata  
223  
Monkeypod moth  
(Polydesma umbricola)  
Monomorium minimum (little black ant)  
250  
Monomorium viridum peninsulatum  
11  
Monoptilota pergratialis (limbean vine borer)  
199  
Montandoniola moraguesi (an anthocorid bug)  
103, 193, 517, 756  
Monterey pine resin midge  
(Cecidomyia resinicoloides)  
Mormon cricket  
(Anabrus simplex)  
Morseiella flaviventris (a grasshopper)  
117  
Mosquitoes  
83, 191, 212, 235, 239, 243, 264, 312, 347, 362, 380, 398, 417, 437, 455, 477, 495, 515, 532, 552, 569, 591, 623, 634, 663, 674, 685, 698, 711, 732  
Mountain pine beetle  
(Dendroctonus ponderosae)  
Mourningcloak butterfly  
(Nymphalis antiopa)  
Mulberry whitefly  
(Tetraleurodes mori)  
Murgantia histrionica (harlequin bug)  
202  
Musca autumnalis (face fly)  
33, 192, 239, 240, 241-242, 254, 264, 312, 326, 346, 362, 380, 417, 432, 436, 455, 477, 481, 495, 500, 515, 532, 535, 551, 569, 591, 606, 623, 634, 662, 672, 674, 685, 688, 698, 700, 723, 725  
Musca domestica (house fly)  
104, 111, 235, 242, 243, 312, 362, 478, 532, 533, 552, 591, 698  
Musca sorbens (a muscid fly)  
104, 517, 756, 757  
Myzocallis coryli (filbert aphid)  
433  
Myzocallis robiniae  
527  
Myzus cerasi (black cherry aphid)  
220, 359, 377, 452  
Myzus persicae (green peach aphid)  
17, 19, 24, 25, 34, 57, 97, 110, 126, 182, 184, 189, 194, 196, 202, 204, 210, 220, 233, 261, 270, 295, 310, 323, 324, 343, 344, 359, 376, 377, 412, 431, 433, 450, 451, 473, 491, 492, 512, 513, 547, 588, 604, 619, 721, 752

**N**

Nabis sp. (a damsel bug)  
164, 256, 297, 327, 399, 686  
Nabis alternatus  
256, 570

Nabis ferus  
256  
Nantucket pine tip moth  
(Rhyacionia frustrana)  
Narrow winged katydid  
(Elimaea punctifera)  
Nasonovia ribisnigri (an aphid)  
11, 102  
Native elm bark beetle  
(Hylurgopinus rufipes)  
Navel orangeworm  
(Paramyelois transitella)  
Neacoryphus bicrucis (a lygaeid bug)  
402, 403, 548, 555, 567, 572, 687, 725  
Necrobia rufipes (redlegged ham beetle)  
699, 781  
Nemapogon granella (European grain moth)  
11  
Nematus abbottii (a sawfly)  
567, 569  
Nematus ribesii (imported currantworm)  
226, 434  
Neodiprion spp. (conifer sawflies)  
379, 398, 416, 435, 454, 476, 493, 590, 622  
Neodiprion abietis (balsam fir sawfly)  
590  
Neodiprion excitans  
280, 494, 590  
Neodiprion fulvipes  
753  
Neodiprion lecontei (redheaded pine sawfly)  
25, 279, 454, 493, 532, 551  
Neodiprion merkeli (slash pine sawfly)  
493  
Neodiprion pinetum (white pine sawfly)  
722  
Neodiprion pratti banksianae (jack pine sawfly)  
454, 493, 514, 569  
Neodiprion pratti pratti  
279, 379, 385, 398, 402, 416, 437, 476  
Neodiprion sertifer (European pine sawfly)  
278, 279, 361, 398, 416, 435, 722  
Neodiprion taedae linearis  
110, 190, 279, 324, 379, 398, 416, 432, 435, 454, 460, 476, 722  
Neodusmetia sangwani (an encyrtid wasp)  
104  
Neolasioptera portulacae (a gall midge)  
6  
Neurocolpus nubilus (clouded plant bug)  
181  
Nevada sage grasshopper  
(Melanoplus rugglesi)  
Nezara viridula (southern green stink bug)  
70, 103, 178, 206, 215, 220, 224, 226, 365, 375, 460, 488, 555, 572, 625, 695, 708  
Nilotaspis halli (hall scale)  
192  
Nipaeococcus vastator (a mealybug)  
481  
Noctuid moths  
147, 166, 174, 322, 374, 408, 427, 721;  
751  
Nomia melanderi (alkali bee)  
253  
Nomius pygmaeus (stink beetle)  
195  
Norape ovina (a megalopygid moth)  
12, 742, 743  
Northern cattle grub  
(Hypoderma bovis)  
Northern corn rootworm  
(Diabrotica longicornis)  
Northern fowl mite  
(Ornithonyssus sylvianus)  
Northern pine weevil  
(Pissodes approximatus)  
Norway maple aphid  
(Periphyllus lyropictus)  
Notodres douglasi (an itch mite)  
127, 128

Nuculaspis californica (black pineleaf scale)  
25, 325  
Nygmia phaeorrhoea (browntail moth)  
113  
Nymphalis antiopa (mourningcloak butterfly)  
312, 398  
Nysius spp.  
411, 706  
Nysius ericae (false chinch bug)  
202, 524

Oak lace bug  
(Corythucha arcuata)  
Oak leaf-tier  
(Croesia albicomana)  
Oak skeletonizer  
(Bucculatrix ainsliella)  
Obliquebanded leafroller  
(Choristoneura rosaceana)  
Obscure root weevil  
(Sciophtes obscurus)  
Obscure scale  
(Melanaspis obscura)  
Octaspidiotus araucariae (an armored scale)  
46  
Octotoma scabripennis (lantana leaf beetle)  
756  
Odonaspis penicillata (an armored scale)  
211, 213  
Odynerus dilectus (a vespid wasp)  
254  
Oebalus pumax (rice stink bug)  
174  
Oecanthus rileyi (a tree cricket)  
126  
Oedaleonotus enigma (a grasshopper)  
117, 265, 420, 479, 498, 534, 553, 554, 570, 592, 663  
Oedaleus abruptus (a grasshopper)  
105, 165, 421  
Oedostethus femoralis (a click beetle)  
12  
Oestrus ovis (sheep bot fly)  
244, 455  
Oldhouse borer  
(Hylotrupes bajulus)  
Oleander aphid  
(Aphis nerii)  
Oligonychus ilicis (southern red mite)  
435  
Oligonychus pratensis (Banks grass mite)  
152, 153, 158, 308, 320, 391, 409, 488, 508, 524, 544, 564, 584, 601, 616, 624, 657, 670, 679, 680, 694, 705  
Oligonychus stickneyi  
446  
Oligonychus ununguis (spruce spider mite)  
270, 311, 454, 475, 493, 590  
Olive scale  
(Parlatria oleae)  
Olla abdominalis (a lady beetle)  
347, 707  
Omnivorous leaf-tier  
(Cnephasia longana)  
Omnivorous looper  
(Sabulodes caberata)  
Omphisa anastomosalis (sweetpotato vine borer)  
59, 129  
Oncideres cingulata (twig girdler)  
215, 223, 285, 696  
Oncocnemis punctilinea (a noctuid moth)  
296  
Onion maggot  
(Eulemya antiqua)  
Onion thrips  
(Thrips tabaci)  
Ooencyrtus clisioampae (an encyrtid wasp)  
400

Ooencyrtus guamensis  
6, 104  
Ooencyrtus kuwanai  
118, 699, 712, 733  
Opeia obscura (a grasshopper)  
12, 175  
Ophiomyia simplex (asparagus miner)  
205  
Ophionyssus natricis (a dermanysid mite)  
12, 104  
Opisthorchis sinensis (a trematode)  
780  
Opius spp. (braconids)  
19, 27, 70, 101, 112, 608, 687, 734  
Opius importatus  
105, 439, 756  
Opius phaseoli  
105, 439, 756  
Opius stactogalus (a leafhopper)  
625  
Orange tortrix  
(Argyrotaenia citrana)  
Orangestriped oakworm  
(Anisota senatoria)  
Orchid weevil  
(Orchidophilus aterrimus)  
Orchidophilus aterrimus (orchid weevil)  
101, 102, 675  
Oriental beetle  
(Anomala orientalis)  
Oriental cockroach  
(Blatta orientalis)  
Oriental fruit fly  
(Dacus dorsalis)  
Oriental fruit moth  
(Grapholitha molesta)  
Oriental wood borer  
(Heterobostrychus aequalis)  
Orius spp. (flower bugs)  
111, 256, 707  
Orius insidiosus  
256, 297, 348, 399, 553  
Orius tristicolor  
256  
Ornithodoros concanensis (a softbacked tick)  
685  
Ornithonyssus spp. (dermanysid mites)  
26  
Ornithonyssus bacoti (tropical rat mite)  
33  
Ornithonyssus bursa (tropical fowl mite)  
26, 365  
Ornithonyssus sylviarum (northern fowl mite)  
4, 26, 45, 127, 163, 249  
Orthosia hibisci (a noctuid moth)  
216, 344  
Orthotylus chlorionis (a plant bug)  
286  
Oryzaephilus mercator (merchant grain beetle)  
5, 252  
Oryzaephilus surinamensis (sawtoothed grain beetle)  
69, 191, 252  
Oscinella frit (frit fly)  
400  
Osmia lignaria (a megachilid bee)  
253  
Ostrinia nubilalis (European corn borer)  
31, 47-54, 97, 125, 128, 142-145, 161, 188, 194, 196, 198, 199, 203, 216, 231, 254, 260, 292, 307, 320, 339, 355, 372, 390, 395, 408, 426, 445, 450, 468-469, 507, 508, 522-523, 527, 535, 542, 543, 557, 563, 567, 583, 600, 608, 614, 630, 659, 669, 672, 680, 682, 688, 693, 696, 700, 705, 709, 719, 721, 729, 739, 743, 749, 777. Light traps: 329, 351, 366, 384, 404, 422, 440, 461, 482, 501, 518, 537, 556, 573, 595, 609, 626, 637, 666, 676, 689, 701, 715, 726  
Otobius megnini (ear tick)  
326, 347, 418, 478, 754  
Oulema melanopus (cereal leaf beetle)  
114, 115, 254, 298, 313, 327, 348, 363,

365, 381, 385, 400, 402, 419, 432, 457, 479, 481, 497, 516, 534, 535, 570, 780  
Oulema palustris (a leaf beetle)  
12  
Oxybelus uniglutinis quadrinotatus  
(a sphecid wasp)  
5  
Oxyarcodexia ochripygæ (a sarcophagid fly)  
12  
Oystershell scale  
(Lepidosaphes ulmi)

P

Pachyscomoides stupidus (an ichneumon wasp)  
12, 104  
Pacific dampwood termite  
(Zootermopsis angusticollis)  
Pacific spider mite  
(Tetranychus pacificus)  
Pacific tent caterpillar  
(Malacosoma constrictum)  
Packard grasshopper  
(Melanoplus packardii)  
Painted lady  
(Vanessa cardui)  
Palearcitra vernata (spring cankerworm)  
190, 216, 234, 263, 283, 296, 312, 346, 361, 379, 385, 417, 455  
Palestriped flea beetle  
(Systema blanda)  
Pales weevil  
(Hylobius pales)  
Pale tussock moth  
(Halisidota tessellaris)  
Pale western cutworm  
(Agrotis orthogonia)  
Palmicultor palmarum (palm mealybug)  
403, 536  
Palm leaf skeletonizer  
(Homaledra sabalella)  
Palm mealybug  
(Palmicultor palmarum)  
Palorus subdepressus (depressed flour beetle)  
12  
Panaphis juglandis (an aphid)  
620, 621, 710, 714  
Pangaeus bilineatus (a burrowing stink bug)  
179, 490, 510  
Panonychus citri (citrus red mite)  
4, 17, 24, 44, 57, 82, 98, 162, 189, 224, 262, 310, 345, 360, 378, 415, 433, 434, 453, 530, 549, 589, 621, 661, 721, 731, 741, 752, 778  
Panonychus ulmi (European red mite)  
210, 215, 221, 222, 256, 295, 310, 324, 344, 360, 377, 378, 396, 415, 452, 474, 492, 513, 549, 568, 605, 673, 683, 697, 710  
Pantomorus cervinus (Fuller rose weevil)  
104, 700  
Pantomorus taeniatus  
171, 620  
Papaipema nebris (stalk borer)  
147, 196, 391, 408, 427, 445, 469, 491  
Papilio xuthus (a swallowtail butterfly)  
383, 385, 403, 421, 499, 572, 594, 665, 675, 700, 714, 744  
Paralobesia lirioidendrana (an olethreutid moth)  
779, 781  
Paralobesia viteana (grape berry moth)  
226, 415, 475, 531, 550, 697  
Paramyeloides transitella (navel orangeworm)  
4, 223, 752  
Paranapiacaba tricineta (a leaf beetle)  
203  
Parargyractis fulcalis (a pyralid moth)  
781  
Paratriozia cockerelli (potato psyllid)  
140, 468, 486, 542

Parlatoria crotonis (an armored scale)  
622  
Parlatoria oleae (olive scale)  
97, 162, 228, 262  
Parlatoria pergandii (chaff scale)  
24, 44, 82, 98, 163, 189, 262, 311, 360, 378, 434, 453, 530, 550, 589, 590, 621, 661, 721, 741  
Parlatoria zizyphus (black parlatoria scale)  
59  
Passaloecus ithacæ (a sphecid wasp)  
12, 104  
Pavement ant  
(Tetramorium caespitum)  
Pea aphid  
(Acyrtosiphon pisum)  
Peachtree borer  
(Sanninoidea exitiosa)  
Peach twig borer  
(Anarsia lineatella)  
Pea leaf weevil  
(Sitona lineatus)  
Pear psylla  
(Psylla pyricola)  
Pear rust mite  
(Epitrimerus pyri)  
Pearslug  
(Caliroa cerasi)  
Pea weevil  
(Bruchus pisorum)  
Pecan bud moth  
(Gretchena bolliana)  
Pecan leaf casebearer  
(Acrobasis juglandis)  
Pecan leaf phylloxera  
(Phylloxera notabilis)  
Pecan nut casebearer  
(Acrobasis caryae)  
Pecan phylloxera  
(Phylloxera devastatrix)  
Pecan spittlebug  
(Clastoptera achatina)  
Pecan weevil  
(Curculio caryae)  
Pectinophora gossypiella (pink bollworm)  
59, 69, 120, 213, 327, 349, 364, 382, 414, 420, 438, 459, 498, 499, 535, 554, 571, 607, 624, 635, 664, 674, 686, 699, 713, 724, 733, 743, 755, 781. Light traps: 298  
Pediacus depressus (a flat bark beetle)  
12  
Pediasia mutabilis (a sod webworm)  
670  
Pegomya betae (beet leafminer)  
205  
Pegomya hyoscyami (spinach leafminer)  
183, 205, 450, 472, 491, 527, 682  
Pegomya rubivora (raspberry cane maggot)  
12  
Pemphigus monophagus  
12, 287  
Pemphigus populivenae (sugarbeet root aphid)  
183, 184  
Penthaleus major (winter grain mite)  
3, 17, 23, 67, 81, 109, 154, 188, 209, 232, 260, 750, 777  
Pepper maggot  
(Zonosemata electa)  
Pepper weevil  
(Anthrenomus eugenii)  
Peregrinus maidis (corn planthopper)  
19, 101, 756  
Perezia pyraustae (a protozoan)  
143  
Pericyma cruegeri (a noctuid moth)  
290  
Peridesmia sp. (a chalcid)  
97  
Peridroma saucia (variegated cutworm)  
174, 184, 292, 374, 394, 431, 450, 451, 512, 561, 567, 584, 588, 617, 633, 659,

- 670, 672, 708. Light traps: 128, 164, 213, 237, 266, 298, 315, 329, 351, 366, 384, 404, 422, 440, 461, 482, 501, 518, 537, 556, 573, 595, 609, 626, 637, 666, 676, 689, 701, 715, 726, 735, 745, 758, 783
- Perilitus coccinellae (a braconid)  
111, 456
- Perillus bioculatus (twospotted stink bug)  
194
- Periodical cicada  
(Magicicada septendecim)
- Periphyllus lyropictus (Norway maple aphid) 287
- Periplaneta americana (American cockroach)  
250
- Periplaneta australasiae (Australian cockroach) 236
- Periplaneta brunnea (brown cockroach)  
12
- Periplaneta fuliginosa (smokybrown cockroach) 236, 250, 685
- Perkinsiella saccharicida (sugarcane leafhopper) 46, 214
- Petrobia latens (brown wheat mite)  
23, 109, 125, 154, 161, 188, 209, 231, 260, 292, 308, 320, 322, 340, 356, 364, 372, 375, 393, 428, 446, 729
- Phaenicia cuprina (a blow fly)  
104
- Phalonia hospes (banded sunflower moth)  
619
- Pheidole bicarinata longula (an ant)  
12
- Phenacaspis cockerelli (an armored scale)  
100, 103, 214, 270, 620, 622
- Phenacaspis pinifoliae (pine needle scale)  
68, 98, 269, 280, 311, 379, 397, 435, 476, 590
- Phenacoccus aceris (apple mealybug)  
414, 421
- Philaenus spumarius (meadow spittlebug)  
173, 256, 261, 294, 309, 322, 342, 358, 393, 411, 430, 448, 470, 475, 481, 510, 525, 671, 681, 695, 730
- Phlegetonia delatrix (a noctuid moth)  
103, 536, 636
- Philobostroma quadrimaculatum (a grasshopper) 438, 498, 663, 699, 712
- Phloeotribus dentifrons (a bark beetle)  
634, 688
- Phloeotribus frontalis  
12
- Phoebis sennae (a pierid butterfly)  
779, 781
- Phormia regina (black blow fly)  
58
- Phorodon humuli (hop aphid)  
472, 512
- Phorodon menthae  
184
- Phrydiuchus spilmani (a weevil)  
5
- Phrydiuchus tau  
733, 754
- Phryganidia californica (California cackworm) 234, 284, 551
- Phthorimea operculella (potato tuberworm)  
33, 182, 196, 481, 527, 588, 733, 756
- Phyllocoptruta oleivora (citrus rust mite)  
24, 44, 82, 98, 162, 189, 224, 262, 310, 360, 378, 433, 453, 530, 549, 589, 621, 661, 721, 731, 741, 752
- Phyllophaga spp. (white grubs)  
269, 308, 706, 750
- Phyllophaga anxia  
373
- Phyllophaga fimbripes  
488
- Phyllophaga knochi  
12
- Phyllotreta pusilla (western black flea beetle) 183
- Phylloxera spp.  
223, 377
- Phylloxera caryaecaulis  
495, 500
- Phylloxera devastatrix (pecan phylloxera)  
377
- Phylloxera notabilis (pecan leaf phylloxera) 223, 360, 377, 396
- Phylloxera vitifoliae (grape phylloxera)  
710, 722
- Physokermes piceae (spruce bud scale)  
12, 254, 432, 435, 476, 496, 499
- Pickleworm  
(Diaphania nitidalis)
- Pieris protodice (southern cabbageworm)  
202
- Pieris rapae (imported cabbageworm)  
19, 101, 110, 193, 200, 201, 451, 512, 709, 752
- Piknomema alaskensis (yellowheaded spruce sawfly) 493, 514
- Pimpla punicipes (an ichneumon wasp)  
328
- Pineapple scale  
(Diaspis bromeliae)
- Pine bark aphid  
(Pineus strobi)
- Pine colaspis  
(Colaspis pini)
- Pine engraver  
(Ips pini)
- Pine leaf chermid  
(Pineus pinifoliae)
- Pine needleminer  
(Exoteleia pinifoliella)
- Pine needle scale  
(Phenacaspis pinifoliae)
- Pine root collar weevil  
(Hylobius radicis)
- Pine spittlebug  
(Aphrophora parallela)
- Pine tube moth  
(Argyrotaenia pinatubana)
- Pine tussock moth  
(Dasychira plagiata)
- Pineus pini (an adelgid)  
7, 102, 112, 421, 517, 548, 555, 572, 625, 636, 734
- Pineus pinifoliae (pine leaf chermid)  
280, 476
- Pineus strobi (pine bark aphid)  
211, 311, 742
- Pineus sylvestris  
12
- Pine webworm  
(Tetralopa robustella)
- Pink bollworm  
(Pectinophora gossypiella)
- Pinkwinged grasshopper  
(Atractomorpha sinensis)
- Pinnaspis buxi (an armored scale)  
687
- Pinnaspis strachani  
314
- Pinyonia edulicola (a midge)  
263, 265
- Pissodes sp. (a weevil)  
732
- Pissodes affinis  
106
- Pissodes alascensis  
See P. rotundatus
- Pissodes approximatus (northern pine weevil) 13, 106, 276
- Pissodes canadensis  
See P. approximatus
- Pissodes curriei  
See P. affinis
- Pissodes dubius  
106
- Pissodes engelmanni  
See P. strobi
- Pissodes fraseri  
See P. dubius
- Pissodes nigrae  
See P. rotundatus
- Pissodes piperi  
See P. dubius
- Pissodes rotundatus  
105
- Pissodes schwarzi (Yosemite bark weevil)  
106
- Pissodes similis  
106
- Pissodes sitchensis  
See P. strobi
- Pissodes strobi (Engelmann spruce weevil, Sitka spruce weevil, white pine weevil)  
13, 106, 269, 275, 276, 514
- Pissodes utahensis  
See P. similis
- Pissodes yosemite  
See P. schwarzi
- Pistachio seed chalcid  
(Megastigmus pistaciae)
- Pitch pine tip moth  
(Rhyacionia rigidana)
- Planococcus citri (citrus mealybug)  
103, 225
- Platylabus scabra (green cloverworm)  
67, 125, 174, 177, 199, 255, 294, 322, 510, 588, 602, 658, 670, 672, 720
- Platygaster obscuripennis (a platygasterid wasp) 548, 553
- Platynota idaeusalis (a tortricid moth)  
216, 673, 696
- Platynota stultana  
68, 234, 294, 397
- Platylabus carduidactyla (artichoke plume moth) 204
- Platylabus pica crataea  
269
- Platytetranychus thujae (a spider mite)  
13
- Plautia stali (a stink bug)  
102, 687, 688
- Placia nearctica (a March fly)  
245
- Pleocoma dubitalis dubitalis (a rain beetle) 709
- Plodia interpunctella (Indian meal moth)  
45, 251, 252, 253, 363, 418
- Plum curculio  
(Conotrachelus nenuphar)
- Plutella xylostella (diamondback moth)  
101, 200, 201, 202, 214, 744, 756, 778
- Podabrus pruinosus (a cantharid beetle)  
255
- Podisus maculiventris (spined soldier bug)  
281, 572
- Podosesia syringae fraxini (ash borer)  
361, 710
- Podosesia syringae syringae (lilac borer)  
284
- Pogonomyrmex salinus (a harvester ant)  
13
- Polididus armatissimus (spiny assassin bug) 105
- Polistes sp. (a vespid wasp)  
725
- Pollenia rudis (cluster fly)  
27, 33, 59, 104, 246, 350
- Polydesma umbricola (monkeypod moth)  
101, 103, 112, 328, 499, 625
- Popillia japonica (Japanese beetle)  
119, 242, 313, 363, 364, 382, 400, 401, 438, 458, 480, 498, 516, 534, 548, 554, 567, 571, 593, 594, 605, 606, 624, 633, 664, 672, 674
- Poplar-and-willow borer  
(Cryptorhynchus lapathi)
- Poplar tentmaker  
(Ichthyura inclusa)

Porthetria dispar (gypsy moth)  
69, 118, 172, 272, 273, 313, 382, 402,  
420, 438, 480, 481, 498, 516, 534, 535,  
548, 554, 567, 571, 593, 606, 608, 620,  
624, 633, 635, 664, 699, 712, 724, 733,  
743

Potato aphid  
(Macrosiphum euphorbiae)

Potato flea beetle  
(Epitrix cucumeris)

Potato leafhopper  
(Empoasca fabae)

Potato psyllid  
(Paratrioza cockerelli)

Potato tuberworm  
(Phthorimaea operculella)

Prionoxystus robiniae  
(little carpenterworm) 284, 416

Pristiphora abbreviata (California  
pearslug) 221, 323, 396, 402, 414

Pristiphora erichsonii (larch sawfly)  
280

Prociophilus fraxinifolii (an aphid)  
287, 346

Prociophilus tessellatus (woolly alder  
aphid) 325

Prodenia ornithogalli  
See Spodoptera ornithogalli

Prosapia bicincta (twolined spittlebug)  
158, 631, 681, 706, 720

Protactia fusca (mango flower beetle)  
499

Protalebrella brasiliensis (a leafhopper)  
27, 102, 193, 327, 328, 756, 757

Proteoteras willingiana (boxelder twig  
borer) 346

Protopythia australis (a piophilid fly)  
481

Prune leafhopper  
(Edwardsiana prunicola)

Pseudaletia unipuncta (armyworm)  
105, 130-132, 156, 254, 259, 291, 319,  
339, 355, 371, 389, 407, 425, 443, 467,  
485, 505, 521, 561, 581, 599, 613, 629,  
669, 705. Light traps: 5, 19, 60, 70,  
128, 164, 192, 213, 237, 266, 298, 315,  
329, 351, 366, 384, 404, 422, 440, 461,  
482, 501, 518, 537, 556, 573, 595, 609,  
626, 637, 666, 676, 689, 701, 715, 726,  
735, 745, 758, 783

Pseudaonidia clavigera (an armored scale)  
270

Pseudatomoscelis seriatius (cotton  
flea hopper) 161, 358, 511, 526, 587

Pseudaulacaspis pentagona (white peach  
scale) 4, 220, 270, 414, 721

Pseudocneorhinus bifasciatus (a Japanese  
weevil) 269

Pseudococcus comstocki (Comstock mealybug)  
401, 479, 663, 712

Pseudococcus longispinus (longtailed  
mealybug) 779

Pseudohylesinus spp. (silver fir beetles)  
271

Pseudopityophthorus pruinosis (a bark  
beetle) 684, 688

Pseudoplasia includens (soybean looper)  
175, 176, 177, 181, 194, 196, 201, 255,  
267

Psila rosae (carrot rust fly)  
205

Psilocorsis faginella (an oecophorid moth)  
753, 757

Psilopa leucostoma (an ephydrid fly)  
205, 708

Psorophora spp. (mosquitoes)  
243, 569

Psorophora ciliata  
533

Psorophora confinnis  
243, 496, 533, 591

Psoroptes equi (scab mite)  
779

Psoroptes ovis (sheep scab mite)  
58

Psylla pyricola (pear psylla)  
110, 126, 210, 215, 219, 233, 262, 295,  
310, 323, 359, 385, 396, 414, 452, 474,  
492, 529, 535, 568, 589

Psylla uncatoides  
100, 103, 105, 163, 237, 314, 665

Pterocoma bicolor (an aphid)  
98, 99

Pteromalus venustus (a pteromalid wasp)  
363, 365

Ptinus clavipes (brown spider beetle)  
127, 128, 264, 265, 418, 723, 725

Pulex simulans (a flea)  
298

Pulvinaria ericicola (a soft scale)  
432, 435

Pulvinaria innumerabilis (cottony maple  
scale) 286, 455

Pulvinaria psidii (green shield scale)  
460

Puncturevine stem weevil  
(Microlarinus lypriformis)

Purplebacked cabbageworm  
(Evergestis pallidata)

Purple scale  
(Lepidosaphes beckii)

Puss caterpillar  
(Megalopyge opercularis)

Putnam scale  
(Diaspidiotus ancyclus)

Pyconderes quadrimaculatus (a mirid bug)  
555

Pyrobombus bimaculatus (a bumblebee)  
534, 553

Pyrobombus impatiens  
534, 553

Pyrobombus vagans  
553

Pyrrhalta luteola (elm leaf beetle)  
13, 99, 235, 256, 275, 284, 296, 325,  
346, 380, 398, 436, 455, 495, 515, 531,  
551, 569, 590, 605, 622, 634, 662, 664,  
684, 688, 698

Q

Quadraspidiotus juglansregiae (walnut  
scale) 68, 295

Quadraspidiotus perniciosus (San Jose  
scale) 68, 97, 110, 162, 210, 220,  
295, 474, 513, 529, 741

R

Range caterpillar  
(Hemileuca oliviae)

Range crane fly  
(Tipula simplex)

Rapid plant bug  
(Adelphocoris rapidus)

Raspberry cane maggot  
(Pegomya rubivora)

Redbacked cutworm  
(Euxoa ochrogaster)

Redbanded leafroller  
(Argyrotaenia velutinana)

Redbanded thrips  
(Selenothrips rubrocinctus)

Redberry mite  
(Acalitus essigi)

Red carpenter ant  
(Camponotus ferrugineus)

Red flour beetle  
(Tribolium castaneum)

Redheaded pine sawfly  
(Neodiprion lecontei)

Redhumped caterpillar  
(Schizura cinninna)

Redlegged grasshopper  
(Melanoplus femurrubrum)

Redlegged ham beetle  
(Necrobia rufipes)

Rednecked cane borer  
(Agrius ruficollis)

Rednecked peanutworm  
(Stegasta bosqueella)

Reticulitermes spp.  
164, 191

Reticulitermes flavipes (eastern  
subterranean termite) 99, 111, 164,  
191, 212, 236, 249, 567

Reticulitermes hesperus (western  
subterranean termite) 69, 84, 249,  
250

Reticulitermes tibialis  
250

Reticulitermes virginicus  
249

Rhabdophaga salicistriticoides  
(a cecidomyiid midge) 553

Rhagoletis spp.  
452, 492

Rhagoletis cingulata (cherry fruit fly)  
219, 433, 452, 474, 492, 529, 549, 589

Rhagoletis completa (walnut husk fly)  
224, 433, 549, 589, 605, 621, 634, 697,  
731, 733, 741

Rhagoletis fausta (black cherry fruit  
fly) 219, 452, 474, 492

Rhagoletis indifferens (western cherry  
fruit fly) 215, 219, 382, 452, 474,  
492, 571

Rhagoletis mendax (blueberry maggot)  
227

Rhagoletis pomonella (apple maggot)  
217, 474, 492, 549, 589, 633, 673

Rhinacloa forticornis (a plant bug)  
103

Rhinocyllus conicus (a weevil)  
711

Rhipicephalus sanguineus (brown dog  
tick) 26, 33, 247, 363, 399, 418, 711

Rhipidothrips brunneus (a thrips)  
155

Rhizococcus americanus (a root mealybug)  
83, 85

Rhizoglyphus sp. (an acarid mite)  
731

Rhodesgrass scale  
(Antonina graminis)

Rhodobaenus tredecimpunctatus  
(cocklebur weevil) 257

Rhopalosiphum spp.  
308

Rhopalosiphum fitchii (apple grain  
aphid) 17, 57, 154, 210, 270, 295,  
296, 324, 344, 585

Rhopalosiphum maidis (corn leaf aphid)  
3, 17, 31, 67, 81, 97, 109, 132, 136,  
154, 161, 187, 209, 259, 291, 307,  
319, 339, 355, 371, 390, 407, 425, 444,  
467, 485, 505, 515, 521, 541, 561, 581,  
599, 614, 629, 669, 675, 705, 734, 744,  
749, 782

Rhopalosiphum nymphaeae (waterlily  
aphid) 85

Rhopalosiphum padi  
23, 139, 154, 260, 295, 308, 340, 349,  
562, 694, 777, 781

Rhopobota naevana (blackheaded fireworm)  
397

Rhyacionia buoliana (European pine shoot  
moth) 13, 263, 269, 275, 276, 296,  
324, 361, 379, 385, 397, 416, 454, 712

Rhyacionia bushnelli (an olethreutid  
moth)\* 269, 481, 662, 664, 742, 779,  
781

\* Also carried as Rhyacionia frustrana bushnelli.

Rhyacionia frustrana (Nantucket pine tip moth) 275, 277, 311, 345, 361, 378, 397, 416, 476, 481, 493, 568, 742  
Rhyacionia frustrana bushnellii  
See R. bushnellii  
Rhyacionia rigidana (pitch pine tip moth) 58, 60  
Rhyncolus spretus (a weevil) 13  
Rhytidoporus indentatus (a cydnid bug)  
Rhyzopertha dominica (lesser grain borer) 251, 252  
Rice stink bug (Oebalus pugnax)  
Rice water weevil (Lissorhoptus oryzophilus)  
Rice weevil (Sitophilus oryzae)  
Ringlegged earwig (Euborellia annulipes)  
Rocky Mountain wood tick (Dermacentor andersoni)  
Rodolia cardinalis (vedalia) 434, 697, 752  
Rogas sp. (a braconid) 118, 458  
Rose aphid (Macrosiphum rosae)  
Rose chafer (Macrodactylus subspinosus)  
Rose leafhopper (Edwardsiana rosae)  
Rosy apple aphid (Dysaphis plantaginea)  
Roundheaded pine beetle (Dendroctonus adjunctus)  
Rugaspidiotus nebulosus (an armored scale) 293, 299  
Rumina decollata (a snail) 778, 781  
Rustic borer (Xylotrechus colonus)  
Rusty plum aphid (Hysteroneura setariae)

**S**

Sabulodes caberata (omnivorous looper) 226  
Saddled prominent (Heterocampa guttivitta)  
Sagebrush defoliator (Aroga websteri)  
Saissetia coffeae (hemispherical scale) 270  
Saissetia miranda (a soft scale) 32, 82  
Saissetia oleae (black scale) 24, 82, 98, 163, 189, 225, 262, 310, 360, 378, 434, 453, 530, 550, 621, 661, 675, 721, 731, 741  
Saltmarsh caterpillar (Estigmene acrea)  
Sand wireworm (Horistonotus uhlerii)  
San Jose scale (Quadraspidiotus perniciosus)  
Sanninoidea exitiosa (peachtree borer) 17, 58, 215, 310, 377, 452, 721  
Sanninoidea exitiosa graefi (western peachtree borer) 97  
Sarpyga pumila (a sapygid wasp) 253  
Saratoga spittlebug (Aphrophora saratogensis)  
Satin moth (Stilpnotia salicis)  
Sawtoothed grain beetle (Oryzaephilus surinamensis)

Say stink bug (Chlorochroa sayi)  
Scab mite (Psoroptes equi)  
Scaeva pyrastris (a syrphid fly) 570  
Scaphytopius loricatus (a leafhopper) 403  
Scapteriscus spp. (mole crickets) 182, 203, 320, 739  
Scenopinus adventicius (a scenopinid fly) 499, 500  
Scetothelys grandiclava (a pteromalid wasp) 699, 700  
Schistocerca americana (American grasshopper) 158  
Schistocerca obscura 158  
Schistocerca vaga (vagrant grasshopper) 105, 266, 439, 665  
Schizaphis graminum (greenbug) 3, 17, 23, 26, 31, 43, 57, 67, 81, 97, 109, 125, 130, 137-139, 154, 161, 187, 209, 231, 254, 255, 259, 265, 292, 307, 319, 339, 349, 355, 371, 390, 407, 425, 444, 468, 481, 485, 506, 515, 521, 522, 535, 541, 562, 582, 592, 594, 599, 614, 629, 633, 655, 664, 669, 679, 693, 694, 719, 729, 739, 749, 777  
Schizura concinna (redhumped caterpillar) 699  
Schreckensteiniella festaliella (a helioidid moth) 46, 782  
Sciaphilus asperatus (a weevil) 754, 757  
Sciara garretti (a sciariid fly) 34, 129  
Sciopithes spp. 269  
Sciopithes obscurus (obscure root weevil) 531  
Scirtothrips citri (citrus thrips) 224, 225, 263, 415, 434, 673, 722  
Scolia dubia (a scoliid wasp) 254  
Scolytus multistriatus (smaller European elm bark beetle) 13, 285, 325, 380, 397, 402, 432, 436, 455, 460, 514, 754, 757, 779  
Scolytus rugulosus (shothole borer) 360  
Scolytus ventralis (fir engraver) 271, 272  
Scotorythra sp. (a geometrid moth) 665  
Screwworm (Cochliomyia hominivorax)  
Scutellista cyanea (a pteromalid wasp) 103, 112  
Scutigerella causeyae 13, 57, 60  
Scutigerella immaculata (garden symphylan) 427, 473, 632  
Scymnus spp. (lady beetles) 399, 418, 515  
Seedcorn beetle (Agonoderus lecontei)  
Seedcorn maggot (Hylemya platura)  
Sehirus cinctus albonotatus (a cydnid bug) 13  
Seica brunella (melastoma borer) 27, 105, 165, 299, 625, 675  
Selenothrips rubrocinctus (redbanded thrips) 19, 725  
Semiothisa sp. (a geometrid moth) 59, 70  
Semiothisa punctolineata 778  
Semiothisa santaremaria 13, 27, 100, 103, 165, 237, 327, 328, 499, 500, 608, 782

Seopodon sauteri (a sciomyzid fly) 85, 100, 105, 237  
Sequoia pitch moth (Vespaemia sequoiae)  
Sericothrips variabilis (a thrips) 200  
Sheep bot fly (Oestrus ovis)  
Sheep ked (Melophagus ovinus)  
Sheep scab mite (Psoroptes ovis)  
Shortnosed cattle louse (Haematopinus eurysternus)  
Shothole borer (Scolytus rugulosus)  
Sibine stimulea (saddleback caterpillar) 13, 733  
Sideridis rosea (a noctuid moth) 13  
Silpha bituberosa (a carrion beetle) 183, 376, 394  
Silverspotted tiger moth (Halisdota argentata)  
Simulium spp. (black flies) 245, 456, 477, 515  
Simulium jenningsi 245, 515  
Simulium slossonae 239, 245  
Simulium venustum 245, 347, 362, 399, 515  
Simulium vittatum 381  
Silpha flava (yellow sugarcane aphid) 31, 152, 356, 508, 512, 524, 535, 545  
Siteroptes reniformis (a pyemotid mite) 13, 101  
Sitka spruce weevil (Pissodes strobi)  
Sitona cylindricollis (sweetclover weevil) 165, 172, 502, 565, 567  
Sitona hispidulus (clover root curculio) 357, 429  
Sitona lineatus (pea leaf weevil) 199, 343, 352, 359, 376, 395, 402, 527, 585, 594  
Sitona scissifrons (a weevil) 67, 70  
Sitophilus oryzae (rice weevil) 18, 45, 69, 164, 191, 252  
Sitotroga cerealella (Angoumois grain moth) 18, 45, 252  
Sixspotted mite (Eotetranychus sexmaculatus)  
Slash pine sawfly (Neodiprion merkei)  
Slender seedcorn beetle (Clivina impressifrons)  
Smaller European elm bark beetle (Scolytus multistriatus)  
Smokybrown cockroach (Periplaneta fuliginosa)  
Solenopotes capillatus (a wrinkled sucking louse) 246  
Solenopsis geminata (fire ant) 778  
Solenopsis saevissima richteri (imported fire ant) 34, 45, 46, 84, 99, 128, 164, 165, 192, 213, 236, 364, 385, 593, 594, 755, 757  
Solenopsis xyloni (southern fire ant) 69, 750  
Sorghum midge (Contarinia sorghicola)  
Sorghum webworm (Celama sorghiella)  
Sourbush seed fly (Acinia picturata)  
South African emex weevil (Apion antiquum)

- Southern cabbageworm  
(*Pieris protodice*)
- Southern cattle tick  
(*Boophilus microplus*)
- Southern chinch bug  
(*Blissus insularis*)
- Southern corn rootworm  
(*Diabrotica undecimpunctata howardi*)
- Southern cornstalk borer  
(*Diatraea crambidoides*)
- Southern fire ant  
(*Solenopsis xyloni*)
- Southern garden leafhopper  
(*Empoasca solana*)
- Southern green stink bug  
(*Nezara viridula*)
- Southern house mosquito  
(*Culex pipiens quinquefasciatus*)
- Southern lyctus beetle  
(*Lyctus planicollis*)
- Southern pine beetle  
(*Dendroctonus frontalis*)
- Southern potato wireworm  
(*Conoderus falli*)
- Southern red mite  
(*Oligonychus ilicis*)
- Southwestern corn borer  
(*Diatraea grandiosella*)
- Soybean cyst nematode  
(*Heterodera glycines*)
- Soybean looper  
(*Pseudoplusia includens*)
- Sphenophorus* spp. (billbugs)  
157, 408
- Sphenophorus callosus*  
151, 408, 409
- Sphenophorus maidis* (maize billbug)  
151, 372, 391, 408, 409, 508
- Sphenophorus parvulus* (bluegrass  
billbug) 157, 509
- Sphenophorus phoeniciensis*  
3, 373, 545
- Sphenophorus venatus*  
157
- Sphenophorus venatus confluens*  
81, 356
- Sphenophorus venatus vestitus*  
46, 421
- Spicaria rileyi* (a fungus)  
177, 181, 720
- Spider mites  
24, 206, 377, 492, 493, 513, 549, 568,  
584, 616, 630, 657, 673, 683
- Spilonota ocellana* (eyespotted bud moth)  
359
- Spinach leafminer  
(*Pegomya hyoscyami*)
- Spined soldier bug  
(*Podisus maculiventris*)
- Spiny assassin bug  
(*Pollidius armatissimus*)
- Spirea aphid  
(*Aphis spiraeicola*)
- Spissistilus festinus* (threecornered  
alfalfa hopper) 81, 448, 449, 489,  
510, 565, 586, 617, 658, 681, 695, 707,  
720, 730, 751, 778
- Spodoptera exigua* (beet armyworm)  
13, 34, 43, 44, 57, 97, 101, 109, 110,  
112, 146, 175, 177, 181, 183, 184, 196,  
201, 203, 204, 226, 266, 267, 294, 307,  
322, 323, 342, 343, 374, 394, 411, 429,  
430, 471, 489, 511, 526, 545, 566, 587,  
588, 602, 617, 632, 681, 687, 700, 740,  
751, 756, 782. Light traps: 60, 128,  
164, 192, 213, 237, 266, 298, 315, 329,  
351, 366, 384, 404, 422, 440, 461, 482,  
501, 518, 537, 556, 573, 595, 609, 626,  
637, 666, 676, 689, 701, 715, 726, 735,  
745, 758, 783
- Spodoptera frugiperda* (fall armyworm)  
134, 135, 142, 146, 153, 156, 175, 252,  
307, 309, 339, 488, 507, 524, 544, 561,  
563, 566, 583, 585, 600, 602, 615, 630,  
631, 657, 670, 679, 680, 681, 694, 705,  
706, 709, 719, 720, 729, 730, 739, 740,  
750. Light traps: 315, 351, 384, 422,  
461, 482, 501, 518, 537, 556, 573, 595,  
609, 626, 637, 666, 676, 689, 701, 715,  
726, 735, 745, 758, 783
- Spodoptera ornithogalli* (yellowstriped  
armyworm)\* 146, 254, 358, 374, 408,  
512, 547, 566, 659, 707, 730. Light  
traps: 99, 128, 164, 192, 213, 237,  
266, 298, 315, 329, 351, 366, 384, 404,  
422, 440, 461, 482, 501, 518, 537, 556,  
573, 595, 609, 626, 637, 666, 676, 689,  
701, 715, 726, 735, 745, 758, 783
- Spodoptera praefica* (western  
yellowstriped armyworm) 157, 172, 200,  
233, 451, 565, 585, 588, 617, 631, 670,  
681, 695, 706
- Spotted alfalfa aphid  
(*Therioaphis maculata*)
- Spotted asparagus beetle  
(*Crioceris duodecimpunctata*)
- Spotted cucumber beetle  
(*Diabrotica undecimpunctata howardi*)
- Spotted cutworm  
(*Amathes c-nigrum*)
- Spotted garden slug  
(*Limax maximus*)
- Spring cankerworm  
(*Paleacrita vernata*)
- Spruce aphid  
(*Elatobium abietinum*)
- Spruce beetles  
271
- Spruce beetle  
(*Dendroctonus rufipennis*)
- Spruce bud scale  
(*Physokermes piceae*)
- Spruce budworm  
(*Choristoneura fumiferana*)
- Spruce needleminer  
(*Taniva albolineana*)
- Spruce spider mite  
(*Oligonychus ununguis*)
- Squash beetle  
(*Epilachna borealis*)
- Squash bug  
(*Anasa tristis*)
- Squash vine borer  
(*Melittia cucurbitae*)
- Stable fly  
(*Stomoxys calcitrans*)
- Stalk borer  
(*Papaipema nebris*)
- Stegasta bosqueella* (rednecked  
peanutworm) 178, 566, 659, 740
- Stegophylla quercina* (an aphid)  
742, 743
- Stelidota geminata* (a sap beetle)  
227, 415
- Stenotarsonemus pallidus* (cyclamen mite)  
421
- Stenodema* spp. (grass bugs)\*\*  
497
- Stephanitis takeyai* (a lace bug)  
13, 512, 513, 567, 568, 605, 608, 662,  
683, 688, 732, 733, 753, 757
- Stephostethus lirus* (a scavenger  
beetle) 297, 299
- Stethorus* sp. (a lady beetle)  
624, 673
- Stethorus picipes*  
381, 456, 478, 570
- Stibadium sponsum* (a noctuid moth)  
13
- Stictoptera subobliqua* (a noctuid moth)  
314
- Stilpnotia salicis* (satin moth)  
284, 398, 551
- Stink beetle  
(*Nomius pygmaeus*)
- Stomblet moth  
(*Heliothis stombleri*)
- Stomoxys calcitrans* (stable fly)  
190, 235, 239, 242, 297, 362, 380, 417,  
456, 477, 496, 515, 533, 552, 570, 591,  
606, 623, 634, 663, 674, 685, 698, 723,  
754
- Strauzia longipennis* (sunflower maggot)  
604, 619
- Strawberry crownminer  
(*Aristotelia fragariae*)
- Strawberry crown moth  
(*Synanthedon bibionipennis*)
- Strawberry leafroller  
(*Ancylys compta fragariae*)
- Strawberry root weevil  
(*Brachyrhinus ovatus*)
- Strawberry spider mite  
(*Tetranychus turkestanii*)
- Strawberry weevil  
(*Anthonomus signatus*)
- Strigoderma arboricola* (a scarab)  
752
- Striped blister beetle  
(*Epicauta vittata*)
- Striped cucumber beetle  
(*Acalymma vittatum*)
- Striped horse fly  
(*Tabanus lineola*)
- Striped mealybug  
(*Ferrisia virgata*)
- Sugarbeet crown borer  
(*Hulstia undulata*)
- Sugarbeet root aphid  
(*Pemphigus populivinae*)
- Sugarbeet root maggot  
(*Tetanops myopaeformis*)
- Sugarbeet wireworm  
(*Limonius californicus*)
- Sugarcane beetle  
(*Betheola rugiceps*)
- Sugarcane borer  
(*Diatraea saccharalis*)
- Sugarcane leafhopper  
(*Perkinsiella saccharicida*)
- Sugarcane leafroller  
(*Hedylepta accepta*)
- Sunflower maggot  
(*Strauzia longipennis*)
- Sunflower moth  
(*Homocoesoma electellum*)
- Supella longipalpa* (brownbanded cockroach)  
4, 5, 84, 85, 250
- Superb plant bug  
(*Adelphocoris superbus*)
- Sweetclover aphid  
(*Therioaphis riehmi*)
- Sweetclover root borer  
(*Walshia miscecolorella*)
- Sweetclover weevil  
(*Sitona cylindricollis*)
- Sweetpotato flea beetle  
(*Chaetocnema confinis*)
- Sweetpotato hornworm  
(*Agrius cingulatus*)
- Sweetpotato leafminer  
(*Bedeiella orchilella*)
- Sweetpotato vine borer  
(*Omphisa anastomosalis*)
- Sweetpotato weevil  
(*Cyias formicarius elegantulus*)
- Symmerista albifrons* (a notodontid moth)  
261
- Symmerista canicosta*  
273, 281, 435, 454, 476, 494, 514, 531,  
551, 622

\* Also carried as *Prodenia ornithogalli*  
\*\* Carried in error as *Stenoderma* spp.  
in Volume 21.

Synanthedon bibionipennis (strawberry crown moth) 226  
Synanthedon pictipes (lesser peachtree borer) 215, 216, 310, 414, 433  
Synanthedon tipuliformis (currant borer) 189, 226  
Syrbula admirabilis (a grasshopper) 663  
Syrphid opinator (a syrphid fly) 570  
Systema blanda (palestriped flea beetle) 174

T

Tabanid flies  
 245, 456, 477, 496, 533, 570, 606  
Tabanus spp. (tabanid flies)  
 245, 496, 533, 570  
Tabanus americanus  
 456  
Tabanus atratus (black horse fly)  
 245, 456  
Tabanus cymatophorus  
 732, 733  
Tabanus lineola (striped horse fly)  
 245  
Tabanus punctifer  
 533  
Tabanus sulcifrons  
 456  
Tachinaephagus zealandicus (an encyrtid wasp) 104  
Tachypterellus quadrigibbus (apple curculio) 217  
Taeniothrips hawaiiensis (Hawaiian thrips) 101, 102, 266, 365  
Taeniothrips simplex (gladiolus thrips) 271  
Taniva albolineana (spruce needleminer) 279, 324  
 Tarnished plant bug  
 (Lygus lineolaris)  
 Taro leafhopper  
 (Tarophagus proserpina)  
Tarophagus proserpina (taro leafhopper) 59, 102, 536  
 Tawny garden slug  
 (Limax flavus)  
 Tea scale  
 (Piorinia theae)  
Teleonemia scrupulosa (lantana lace bug) 19  
Telsimia nitida (a lady beetle)  
 34, 85, 103, 193, 266, 328, 365, 594, 714  
Temphyra biguttula (a lygaeid bug) 512  
Tenebroides mauritanicus (cadelle) 723  
Tephritis subpura (a tephritid fly) 13  
 Terrapin scale  
 (Lecanium nigrofasciatum)  
Tetanops myopaeiformis (sugarbeet root maggot) 183, 188, 192, 323, 327, 343, 359, 376, 395, 412, 430, 449, 472, 491, 511, 526, 547  
Tethida cordigera (blackheaded ash sawfly) 398  
Tetraleurodes mori (mulberry whitefly) 126  
Tetralopha asperatella (a pyralid moth) 753, 757  
Tetralopha militella  
 753, 757  
Tetralopha robustella (pine webworm) 277  
Tetramorium caespitum (pavement ant) 127

Tetranychus spp.  
 140, 176, 179, 181, 198, 206, 549, 621, 683  
Tetranychus canadensis (fourspotted spider mite) 13  
Tetranychus cinnabarinus (carmine spider mite) 27, 85, 100, 102, 129, 237, 314, 345, 365, 415, 528, 555, 700  
Tetranychus mcDanieli (McDaniel spider mite) 221, 222, 227, 295, 324, 327, 344, 377, 385, 419, 456, 549, 570, 621, 673  
Tetranychus pacificus (Pacific spider mite) 176  
Tetranychus tumidus (tumid spider mite) 101, 421, 714, 725  
Tetranychus turkestanii (strawberry spider mite) 178, 343, 413  
Tetranychus urticae (twospotted spider mite) 32, 82, 110, 126, 152, 176, 178, 179, 181, 194, 198, 200, 204, 210, 215, 221, 222, 224, 227, 270, 323, 324, 435, 456, 457, 492, 513, 529, 546, 548, 549, 564, 568, 584, 586, 604, 616, 619, 621, 671, 680, 683  
Tetrastichus incertus (a eulophid wasp) 166, 169, 254, 585, 620, 624, 663, 664  
Tetrastichus julis  
 254, 400, 457, 497  
 Texas citrus mite  
 (Eutetranychus banksi)  
 Texas leafcutting ant  
 (Atta texana)  
Theba pisana (white garden snail) 33, 84, 122  
Therioaphis maculata (spotted alfalfa aphid) 3, 23, 31, 43, 57, 67, 81, 97, 109, 130, 140-141, 161, 187, 209, 231, 259, 292, 307, 319, 339, 355, 372, 390, 408, 426, 444, 562, 582, 614, 656, 664, 669, 679, 693, 705, 719, 749, 777, 781  
Therioaphis riehmii (sweetclover aphid) 545, 548, 565, 567, 658, 664  
Therioaphis trifolii (yellow clover aphid) 393, 402  
Thermacarus nevadensis (a thermacarid mite) 249  
Thermobia domestica (firebrat) 191  
 Thirtenspotted lady beetle  
 (Hippodamia tredecimpunctata tibialis)  
 Threecornered alfalfa hopper  
 (Spissistilus festinus)  
 Threelined potato beetle  
 (Lema trilineata)  
 Thrips  
 178, 322, 375, 394, 471, 740  
Thrips tabaci (onion thrips) 112, 193, 205, 460, 528, 588, 604, 709, 740  
Thurberiphaga diffusa (a noctuid moth) 459  
Thyanta rugulosa (a stink bug) 184  
Thyridopteryx ephemeriformis (bagworm) 58, 110, 190, 211, 267, 268, 345, 397, 415, 454, 475, 513, 722  
Tinocallis caryaefoliae (black pecan aphid) 215, 223, 530, 697, 710  
Tiphia vernalis (a tiphid wasp) 400  
Tipula paludosa (European crane fly) 116, 213, 419, 624, 663, 674, 686, 743, 755  
Tipula simplex (range crane fly) 31, 43, 81, 260  
 Tobacco budworm  
 (Heliothis virescens)  
 Tobacco flea beetle  
 (Epitrix hirtipennis)  
 Tobacco hornworm  
 (Manduca sexta)

Tobacco moth  
 (Ephestia elutella)  
 Tobacco thrips  
 (Frankliniella fusca)  
 Tobacco wireworm  
 (Conoderus vespertinus)  
 Tomato fruitworm  
 (Heliothis zea)  
 Tomato hornworm  
 (Manduca quinquemaculata)  
 Tomato pinworm  
 (Keiferia lycopersicella)  
 Tomato russet mite  
 (Aculops lycopersici)  
Toumeyella liriodendri (tuliptree scale) 480, 712, 714, 755, 781  
Toxoptera citricida (brown citrus aphid) 403  
Trachyphloeus bifoveolatus (a weevil) 14  
Trachyrhachus kiowa (a grasshopper) 118, 699  
 Transverse lady beetle  
 (Coccinella transversoguttata)  
Trialeurodes abutilonea (bandedwing whitefly) 711, 720, 751, 757  
Trialeurodes vaporariorum (greenhouse whitefly) 27, 85, 102, 110, 112, 193, 197, 200, 237, 263, 270, 271, 314, 350, 383, 439, 700, 723, 744, 753, 779  
Tristoma sanguisuga (bloodsucking conenose) 4  
Tribolium sudax (American black flour beetle) 7, 253  
Tribolium brevicornis (a darkling beetle) 14  
Tribolium castaneum (red flour beetle) 252, 780  
Tribolium confusum (confused flour beetle) 252, 780  
Trichogramma spp. (minute egg parasites)  
 314, 375, 394, 675, 680, 700, 714, 744  
Trichogramma minutum  
 254  
Trichomalus statutus (a pteromalid wasp) 400, 402  
Trichoplusia ni (cabbage looper)  
 57, 101, 140, 175, 177, 181, 182, 194, 195, 200, 201, 203, 204, 267, 322, 323, 358, 527, 548, 587, 603, 604, 613, 620, 632, 633, 658, 660, 697, 708, 709, 729, 741, 751. Light traps: 192, 315, 329, 351, 366, 384, 404, 422, 440, 461, 482, 501, 518, 537, 556, 573, 595, 609, 626, 637, 666, 676, 689, 701, 715, 726, 735, 745, 758, 783  
Trichopoda spp. (tachina flies)  
 103  
Trichopoda pennipes  
 365, 572, 625  
Trichopoda pennipes var. pilipes  
 460, 555  
Trimerotropis pallidipennis  
 (a grasshopper) 460  
Triboxys pallidus (a braconid) 712  
Trioza sp. (a psyllid) 782  
Trioza tripunctata  
 415  
Trissolcus sp. (a scelionid wasp) 46, 214  
Trogoderma glabrum (a dermestid beetle) 253  
Trogoderma granarium (khapra beetle) 350  
Trogoderma simplex  
 191  
Trogoderma variabile  
 14, 69, 104, 191, 251  
 Tropical fowl mite  
 (Ornithonyssus bursa)



Tropical horse tick  
(Anocentor nitens)  
Tropical rat mite  
(Ornithonyssus bacoti)  
Tropidostepes amoenus (ash plant bug)  
286  
Tropidostepes illitus  
312  
Tropidostepes pacificus  
325

Trox suberosus (a scarab)  
14, 105

Tuber flea beetle  
(Epitrix tuberosa)

Tulip bulb aphid  
(Dysaphis tulipae)

Tuliptree scale  
(Toumeyella liriodendri)

Tumid spider mite  
(Tetranychus tumidus)

Turnip aphid  
(Hyadaphis pseudobrassicae)

Twicestabbed lady beetle  
(Chilocorus stigma)

Twig girdler  
(Oncideres cingulata)

Twig pruner  
(Elaphidionoides villosus)

Twolined spittlebug  
(Prosapia bicincta)

Twomarked treehopper  
(Enchenopa binotata)

Twospotted lady beetle  
(Adalia bipunctata)

Twospotted spider mite  
(Tetranychus urticae)

Twospotted stink bug  
(Perillus bioculatus)

Twostrided grasshopper  
(Melanoplus bivittatus)

Typhlocyba pomaria (white apple  
leafhopper) 220, 377, 549, 709

Typhlodromus spp. (phytoseiid mites)

377, 513

Typhlodromus fallacis

256, 549

Tyria jacobaeae (a cinnabar moth)

256, 516

Tyrtus mundulus (cane leafhopper egg  
sucker) 102, 214

## U

Udea profundalis (false celery leaf-tier)  
82, 620, 751

Ufens elimaeae (a trichogrammatid wasp)  
734

Uglynest caterpillar  
(Archips cerasivoranus)

Unaspis citri (an armored scale)  
24, 44, 57, 82, 98, 163, 189, 210, 224,  
225, 234, 262, 311, 324, 327, 360, 378,  
434, 453, 530, 550, 590, 621, 661, 721,  
731, 741

Unaspis euonymi (euonymus scale)  
270

Undulambia polystichalis (a pyralid moth)  
262

Uranotaenia sapphirina (a mosquito)  
696

Uroplata girardi (lantana hispid)  
34, 536

## V

Vagrant grasshopper  
(Schistocerca vaga)

Vanduzeeae segmentata (a treehopper)  
637

Vanessa cardui (painted lady)  
527

Variable oakleaf caterpillar  
(Heterocampa manteo)

Variiegated cutworm  
(Peridroma saucia)

Vasates quadripedes (maple bladdergall  
mite) 495, 500

Vedalia  
(Rodolia cardinalis)

Vegetable leafminer  
(Liriomyza munda)

Vegetable weevil  
(Listroderes costirostris obliquus)

Velvetbean caterpillar  
(Anticarsia gemmatalis)

Vespa crabro germana (giant hornet)  
246, 672, 674

Vespamina sequoiae (Sequoia pitch moth)  
634

Vespuia spp. (vespid wasps)  
711

Vespuia maculata (baldfaced hornet)  
240, 711

Vespuia maculifrons

246, 711

Vespuia pennsylvanica

347

Vetch bruchid  
(Bruchus brachialis)

Vexans mosquito  
(Aedes vexans nocturnus)

Virginia creeper leafhopper  
(Erythroneura zizcae)

Vitacea polistiformis (grape root borer)  
227

## W

Walkingstick

(Diaperomera femorata)

Walnut aphid  
(Chromaphis juglandicola)

Walnut caterpillar  
(Datana integerrima)

Walnut husk fly  
(Rhagoletis completa)

Walnut scale  
(Quadraspidiotus juglansregiae)

Walshia miscecolorella (sweetclover root  
borer) 14

Waterlily aphid  
(Rhopalosiphum nymphaeae)

Western bean cutworm  
(Loxagrotis albicosta)

Western black flea beetle  
(Phyllotreta pusilla)

Western blackheaded budworm  
(Acleris gloverana)

Western cherry fruit fly  
(Rhagoletis indifferens)

Western corn rootworm  
(Diabrotica virgifera)

Western drywood termite  
(Incisitermes minor)

Western field wireworm  
(Limonius infuscatus)

Western flower thrips  
(Frankliniella occidentalis)

Western grape leaf skeletonizer  
(Harrisina brillians)

Western peachtree borer  
(Sanninoidea exitiosa graefi)

Western pine beetle  
(Dendroctonus brevicomis)

Western spotted cucumber beetle  
(Diabrotica undecimpunctata

undecimpunctata)

Western spruce budworm  
(Choristoneura occidentalis)

Western subterranean termite  
(Reticulitermes hesperus)

Western tent caterpillar  
(Malacosoma californicum)

Western tussock moth  
(Hermerocampa vetusta)

Western yellowstriped armyworm  
(Spodoptera praefica)

West Indian sugarcane root borer  
(Diaprepes abbreviatus)

Wheat curl mite  
(Eriophyes tulipae)

Wheat head armyworm  
(Faronta diffusa)

Wheat stem maggot  
(Meromyza americana)

Wheat stem sawfly  
(Cephus cinctus)

White apple leafhopper  
(Typhlocyba pomaria)

White cutworm  
(Euxoa scandens)

Whiteflies

24, 44, 82, 98, 262, 311, 360, 378,  
434, 453, 530, 550, 590, 621, 632, 661,  
722, 740, 741

White garden snail  
(Theba pisana)

Whitemarked tussock moth  
(Hermerocampa leucostigma)

White peach scale  
(Pseudaulacaspis pentagona)

White pine sawfly  
(Cinara strobi)

White pine sawfly  
(Neodiprion pinetum)

White pine weevil  
(Pissodes strobi)

Willowbeaked gall midge  
(Mayetiola rigidiae)

Winter grain mite  
(Penthaeus major)

Winter tick  
(Dermacentor albipictus)

Wireworms

142, 151-152, 183, 356, 409, 412, 427

Woolly alder aphid  
(Prociphilus tessellatus)

Woolly apple aphid  
(Eriosoma lanigerum)

Woolly whitefly  
(Aleurothrix floccosus)

## X

Xanthopimpla punctata (an ichneumon  
wasp) 7, 104, 328

Xenochalepus dorsalis (locust leafminer)  
286, 634

Xiphidria maculata (a xiphidriid wasp)  
14

Xyalophora quinquelineata (a figitid  
wasp) 254

Xyleborus ferrugineus (an ambrosia  
beetle) 14

Xylomyges curialis (a noctuid moth)  
378

Xylomyges dolosa

14

Xylosandrus compactus (a bark beetle)  
104, 285, 555, 608, 665, 782

Xylotrechus colonus (rustic borer)  
418

## Y

Yellow clover aphid  
(Theriacaphis trifolii)  
Yellowheaded spruce sawfly  
(Pikonema alaskensis)  
Yellow jackets  
246  
Yellownecked caterpillar  
(Datana ministra)  
Yellow scale  
(Aonidiella citrina)  
Yellowstriped armyworm  
(Spodoptera ornithogalli)  
Yellow sugarcane aphid  
(Sipha flava)  
Yosemite bark weevil  
(Pissodes schwarzi)  
Yuma spider mite  
(Ectetranychus yumensis)

## Z

Zebra caterpillar  
(Ceramica picta)  
Zeiraphera vancouverana (an olethreutid  
moth) 14, 279  
Zimmerman pine moth  
(Dioryctria zimmermani)  
Zonosemata electa (pepper maggot)  
198, 784  
Zootermopsis angusticollis (Pacific  
dampwood termite) 45, 191, 250, 780







UNITED STATES DEPARTMENT OF AGRICULTURE  
Hyattsville, Maryland 20782

OFFICIAL BUSINESS

POSTAGE AND FEES PAID  
U.S. DEPARTMENT OF  
AGRICULTURE

